

UVA MINDFULNESS CENTER

Department of Medicine: Division of General Medicine, Geriatrics, and Palliative Care

Bibliography

(In reverse chronological order)

Adelman, E. M. (2006). Mind-body intelligence: a new perspective integrating Eastern and Western healing traditions. Holistic Nursing Practice. 147-151.

Baer, R. A., Smith, G. T., Hopkins, J., Krietemeyer, J., & Toney, L. (2006). Using self-report assessment methods to explore facets of mindfulness. Assessment. 13(1):27-45.

Finucane, A. & Mercer, S. W. (2006). An exploratory mixed methods study of the acceptability and effectiveness of Mindfulness-Based Cognitive Therapy for patients with active depression and anxiety in primary care. BMC Psychiatry. 6:14.

Jay, L. S., Surya, D. L., Hallquist, M. N., & Williams, J. C. (2006). Mindfulness, acceptance, and hypnosis: Cognitive and clinical perspectives. International Journal of Clinical & Experimental Hypnosis. 54(2):143-66.

Krisanaprakornkit, T., Krisanaprakornkit, W., Piyavhatkul, N., & Laopaiboon, M. (2006). Meditation therapy for anxiety disorders. Cochrane Database of Systematic Reviews. (1):CD004998.

Paul-Labrador, M., Polk, D., Dwyer, J. H., Velasquez, I., Nidich, S., Rainforth, M., Schneider, R., & Merz, C. N. B. (2006). Effects of a Randomized Controlled Trial of Transcendental Meditation on Components of the Metabolic Syndrome in Subjects With Coronary Heart Disease. Archives of Internal Medicine. 166, 1218-1224.

Carlson, L. E. & Garland, S. N. (2005). Impact of mindfulness-based stress reduction (MBSR) on sleep, mood, stress and fatigue symptoms in cancer outpatients. International Journal of Behavioral Medicine. 12(4):278-85.

Carlson, L. E. & Brown, K. W. (2005). Validation of the Mindful Attention Awareness Scale in a cancer population. Journal of Psychosomatic Research.58(1):29-33.

Connelly, J. E. (2005). Narrative possibilities: using mindfulness in clinical practice. Perspectives in Biology & Medicine.48(1):84-94.

Fonteyn, M. & Bauer-Wu, S. (2005). Using qualitative evaluation in a feasibility study to improve and refine a complementary therapy intervention prior to subsequent research. Complementary Therapies in Clinical Practice.11(4):247-52.

Kabat-Zinn, J. (2005). Bringing mindfulness to medicine: an interview with Jon Kabat-Zinn, PhD. Interview by Karolyn Gazella. Advances in Mind-Body Medicine.21(2):22-7.

Kreitzer, M. J., Gross, C. R., Ye, X., Russas, V., & Treesak, C. (2005). Longitudinal impact of mindfulness meditation on illness burden in solid-organ transplant recipients. Progress in Transplantation.15(2):166-72.

Leigh, J., Bowen, S., & Marlatt, G. A. (2005). Spirituality, mindfulness and substance abuse. Addictive Behaviors.30(7):1335-41.

Plews-Ogan, M., Owens, J. E., Goodman, M., Wolfe, P., & Schorling, J. (2005). A pilot study evaluating mindfulness-based stress reduction and massage for the management of chronic pain. Journal of General Internal Medicine. 1136-1138.

Smith, J. E., Richardson, J., Hoffman, C., & Pilkington, K. (2005). Mindfulness-Based Stress Reduction as supportive therapy in cancer care: systematic review. Journal of Advanced Nursing.52(3):315-27.

Takahashi, T., Murata, T., Hamada, T., Omori, M., Kosaka, H., Kikuchi, M., Yoshida, H., & Wada, Y. (2005). Changes in EEG and autonomic nervous activity during meditation and their association with personality traits. International Journal of Psychophysiology.55(2):199-207.

Weiss, M., Nordlie, J. W., & Siegel, E. P. (2005). Mindfulness-based stress reduction as an adjunct to outpatient psychotherapy. *Psychotherapy & Psychosomatics.*74(2):108-12.

Baer, R. A., Smith, G. T., & Allen, K. B. (2004). Assessment of mindfulness by self-report: the Kentucky inventory of mindfulness skills. *Assessment.*11(3):191-206.

Carlson, L. E., Speca, M., Patel, K. D., & Goodey, E. (2004). Mindfulness-based stress reduction in relation to quality of life, mood, symptoms of stress and levels of cortisol, dehydroepiandrosterone sulfate (DHEAS) and melatonin in breast and prostate cancer outpatients.

*Psychoneuroendocrinology.*29(4):448-74.

Corrigan, F. M. (2004). Psychotherapy as assisted homeostasis: activation of emotional processing mediated by the anterior cingulate cortex. *Medical Hypotheses.*63(6):968-73.

Fennell, M. J. (2004). Depression, low self-esteem and mindfulness. *Behaviour Research & Therapy.*42(9):1053-67.

Ma, S. H. & Teasdale, J. D. (2004). Mindfulness-based cognitive therapy for depression: replication and exploration of differential relapse prevention effects. *Journal of Consulting & Clinical Psychology.*72(1):31-40.

Meili, T. & Kabat-Zinn, J. (2004). The power of the human heart: a story of trauma and recovery and its implications for rehabilitation and healing. *Advances in Mind-Body Medicine.* 6-16.

Robert McComb, J. J., Tacon, A., Randolph, P., & Caldera, Y. (2004). A pilot study to examine the effects of a mindfulness-based stress-reduction and relaxation program on levels of stress hormones, physical functioning, and submaximal exercise responses. *Journal of Alternative & Complementary Medicine.*10(5):819-27.

Schmidt, S. (2004). Mindfulness and healing intention: concepts, practice, and research evaluation. *Journal of Alternative & Complementary Medicine.*10 Suppl 1:S7-14.

- Smith, J. C. (2004). Alterations in brain and immune function produced by mindfulness meditation: three caveats. Psychosomatic Medicine.66(1):148-52; author reply 148-52.
- Travis, F. & Arenander, A. (2004). EEG asymmetry and mindfulness meditation. Psychosomatic Medicine.66(1):147-8; author reply 147-8.
- Watkins, E. & Teasdale, J. D. (2004). Adaptive and maladaptive self-focus in depression. Journal of Affective Disorders.82(1):1-8.
- Astin, J. A., Berman, B. M., Bausell, B., Lee, W. L., Hochberg, M., & Forsy, K. L. (2003). The efficacy of mindfulness meditation plus Qigong movement therapy in the treatment of fibromyalgia: a randomized controlled trial.[see comment]. Journal of Rheumatology.30(10):2257-62.
- Bedard, M., Felteau, M., Mazmanian, D., Fedyk, K., Klein, R., Richardson, J., Parkinson, W., & Minthorn-Biggs, M. B. (2003). Pilot evaluation of a mindfulness-based intervention to improve quality of life among individuals who sustained traumatic brain injuries. Disability & Rehabilitation.25(13):722-31.
- Bonadonna, R. (2003). Meditation's impact on chronic illness. Holistic Nursing Practice.17(6):309-19.
- Brown, K. W. & Ryan, R. M. (2003). The benefits of being present: mindfulness and its role in psychological well-being. Journal of Personality & Social Psychology.84(4):822-48.
- Carlson, L. E., Speca, M., Patel, K. D., & Goodey, E. (2003). Mindfulness-based stress reduction in relation to quality of life, mood, symptoms of stress, and immune parameters in breast and prostate cancer outpatients. Psychosomatic Medicine.65(4):571-81.
- Davidson, R. J., Kabat-Zinn, J., Schumacher, J., Rosenkranz, M., Muller, D., Santorelli, S. F., Urbanowski, F., Harrington, A., Bonus, K., & Sheridan, J. F. (2003). Alterations in brain and immune function produced by mindfulness meditation.[see comment]. Psychosomatic Medicine.65(4):564-70.
- Hirst, I. S. (2003). Perspectives of mindfulness. Journal of Psychiatric & Mental Health Nursing.10(3):359-66.

Proulx, K. (2003). Integrating mindfulness-based stress reduction. Holistic Nursing Practice.17(4):201-8.

Robinson, F. P., Mathews, H. L., & Witek-Janusek, L. (2003). Psycho-endocrine-immune response to mindfulness-based stress reduction in individuals infected with the human immunodeficiency virus: a quasiexperimental study.[see comment]. Journal of Alternative & Complementary Medicine.9(5):683-94.

Rosenzweig, S., Reibel, D. K., Greeson, J. M., Brainard, G. C., & Hojat, M. (2003). Mindfulness-based stress reduction lowers psychological distress in medical students. Teaching & Learning in Medicine.15(2):88-92.

Shannahoff-Khalsa, D. (2003). The complications of meditation trials and research: issues raised by the Robinson, Mathews, and Witek-Janusek paper-"Psycho-endocrine-immune response to mindfulness-based stress reduction in individuals infected with the human immunodeficiency virus: a quasiexperimental study". Journal of Alternative & Complementary Medicine.9(5):603-5.

Shapiro, S. L., Bootzin, R. R., Figueredo, A. J., Lopez, A. M., & Schwartz, G. E. (2003). The efficacy of mindfulness-based stress reduction in the treatment of sleep disturbance in women with breast cancer: an exploratory study. Journal of Psychosomatic Research.54(1):85-91.

Tacon, A. M., McComb, J., Caldera, Y., & Randolph, P. (2003). Mindfulness meditation, anxiety reduction, and heart disease: a pilot study. Family & Community Health.26(1):25-33.

Bishop, S. R. (2002). What do we really know about mindfulness-based stress reduction? Psychosomatic Medicine.64(1):71-83.

Chilton, K. & Block, B. (2002). Mindfulness in the center: the Duke Center for Integrative Medicine. Alternative Therapies in Health & Medicine.8(6):108-9.

Majumdar, M., Grossman, P., Dietz-Waschkowski, B., Kersig, S., & Walach, H. (2002). Does mindfulness meditation contribute to health? Outcome evaluation of a German sample. Journal of Alternative & Complementary Medicine.8(6):719-30; discussion 731-5.

Ott, M. J. (2002). Mindfulness meditation in pediatric clinical practice. Pediatric Nursing.28(5):487-90.

Roth, B. & Stanley, T. W. (2002). Mindfulness-based stress reduction and healthcare utilization in the inner city: preliminary findings. Alternative Therapies in Health & Medicine.8(1):60-2, 64-6.

Teasdale, J. D., Moore, R. G., Hayhurst, H., Pope, M., Williams, S., & Segal, Z. V. (2002). Metacognitive awareness and prevention of relapse in depression: empirical evidence. Journal of Consulting & Clinical Psychology.70(2):275-87.

Carlson, L. E., Ursuliak, Z., Goodey, E., Angen, M., & Speca, M. (2001). The effects of a mindfulness meditation-based stress reduction program on mood and symptoms of stress in cancer outpatients: 6-month follow-up. Supportive Care in Cancer.9(2):112-23.

Mason, O. & Hargreaves, I. (2001). A qualitative study of mindfulness-based cognitive therapy for depression. British Journal of Medical Psychology.74(Pt 2):197-212.

Reibel, D. K., Greeson, J. M., Brainard, G. C., & Rosenzweig, S. (2001). Mindfulness-based stress reduction and health-related quality of life in a heterogeneous patient population. General Hospital Psychiatry.23(4):183-92.

Shapiro, S. L. (2001). Poetry, mindfulness, and medicine. Family Medicine.33(7):505-6.

Williams, K. A., Kolar, M. M., Reger, B. E., & Pearson, J. C. (2001). Evaluation of a Wellness-Based Mindfulness Stress Reduction intervention: a controlled trial. American Journal of Health Promotion.15(6):422-32.

Wolfsdorf, B. A. & Zlotnick, C. (2001). Affect management in group therapy for women with posttraumatic stress disorder and histories of childhood sexual abuse. Journal of Clinical Psychology.. 57, 169-181.

Young, L. E., Bruce, A., Turner, L., & Linden, W. (2001). Evaluation of mindfulness-based stress reduction intervention. Canadian Nurse.97(6):23-6.

Mills, N. & Allen, J. (2000). Mindfulness of movement as a coping strategy in multiple sclerosis. A pilot study. General Hospital Psychiatry.22(6):425-31.

Shapiro, S. L. & Schwartz, G. E. (2000). Intentional systemic mindfulness: an integrative model for self-regulation and health. Advances in Mind-Body Medicine.16(2):128-34.

Speca, M., Carlson, L. E., Goodey, E., & Angen, M. (2000). A randomized, wait-list controlled clinical trial: the effect of a mindfulness meditation-based stress reduction program on mood and symptoms of stress in cancer outpatients. Psychosomatic Medicine., 62, 613-622.

Teasdale, J. D., Segal, Z. V., Williams, J. M., Ridgeway, V. A., Soulsby, J. M., & Lau, M. A. (2000). Prevention of relapse/recurrence in major depression by mindfulness-based cognitive therapy. Journal of Consulting & Clinical Psychology.68(4):615-23.

Williams, J. M., Teasdale, J. D., Segal, Z. V., & Soulsby, J. (2000). Mindfulness-based cognitive therapy reduces overgeneral autobiographical memory in formerly depressed patients. Journal of Abnormal Psychology., 109, 150-155.

Connelly, J. (1999). Being in the present moment: developing the capacity for mindfulness in medicine. Academic Medicine.74(4):420-4.

Dunn, B. R., Hartigan, J. A., & Mikulas, W. L. (1999). Concentration and mindfulness meditations: unique forms of consciousness? Applied Psychophysiology & Biofeedback.24(3):147-65.

Teasdale, J. D. (1999). Emotional processing, three modes of mind and the prevention of relapse in depression. Behaviour Research & Therapy.37 Suppl 1:S53-77.

Kabat-Zinn, J., Wheeler, E., Light, T., Skillings, A., Scharf, M. J., Cropley, T. G., Hosmer, D., & Bernhard, J. D. (1998). Influence of a mindfulness meditation-based stress reduction intervention on rates of skin clearing in patients with moderate to severe psoriasis undergoing phototherapy (UVB) and photochemotherapy (PUVA). Psychosomatic Medicine.60(5):625-32, -Oct.

Moore, N. G. (1998). The center for mindfulness in medicine: meditation training for the body's innate wisdom. Alternative Therapies in Health & Medicine.4(2):32-3.

Shapiro, S. L., Schwartz, G. E., & Bonner, G. (1998). Effects of mindfulness-based stress reduction on medical and premedical students. Journal of Behavioral Medicine.21(6):581-99.

Singh, B. B., Berman, B. M., Hadhazy, V. A., & Creamer, P. (1998). A pilot study of cognitive behavioral therapy in fibromyalgia. Alternative Therapies in Health & Medicine.4(2):67-70.

Astin, J. A. (1997). Stress reduction through mindfulness meditation. Effects on psychological symptomatology, sense of control, and spiritual experiences. Psychotherapy & Psychosomatics.66(2):97-106.

O'Neal, J. S. (1997). Mindfulness: treasuring the moments. Creative Nursing.3(3):8-9.

Trunnell, E. P. (1996). Mindfulness and people with stomas. Journal of Wound, Ostomy, & Continence Nursing.23(1):38-45.