

PEDIATRIC PHARMACOTHERAPY

A Monthly Newsletter for Health Care Professionals from the
University of Virginia Children's Hospital

Volume 15 Number 1

January 2009

Fourteen-year Cumulative Index

(Volume/issue and citation type: M= main feature; L= lit. review; F= FDA update; C= correction)

A

Abacavir 11/5 L
Acellular pertussis vaccine 3/2 L, 3/7 M, 3/9 L, 11/8 L
Acetaminophen 2/7 M, 13/11 M
Acetaminophen, overdose 6/3 M, 12/4 L
Acetaminophen, rectal 5/12 L, 7/9 M
Acetaminophen, adverse effects 1/6 L, 6/3 L
Aclometasone 2/1 M
Acyclovir 8/6 M
Adalimumab 13/8M
Adenosine 14/8 M
Adverse drug reactions 1/3 M, 2/10 L, 2/11 L, 4/11 L
Albuterol 2/5 M, 8/1 L, 14/5 L
Alglucosidase alfa 12/5 M, 13/3 F, 13/11 M
Alprostadil (PGE₁) 6/9 M
Alteplase 5/6 L, 5/8 M
Alternative therapies 4/5 M, 12/4 L
Amincinonide 2/1 M
Amiloride, kinetics 3/5 L, 9/2 L
Aminocaproic acid 12/10 M
Aminoglycosides, in transplant 3/11 L
Aminoglycosides/vancomycin 12/5 L
Amiodarone 7/12 M
Amlodipine 9/7 M, 10/3 M
Amoxicillin, adverse effects 5/3 L
Amphetamine 11/3 M
Amphotericin 13/11 M
Ampicillin, oral in neonates 4/1 L
Ampicillin-clavulanate 8/1 L
Anagrelide 11/3 M
Analgesics, dosing 4/2 L
Anesthetics 4/11 L, 12/8 L
Angiotensin converting enzyme (ACE) inhibitors 2/2 L
Anidulafungin 12/5 M
Antiarrhythmics, pregnancy 5/5 L
Antibiotics, allergies 1/12 L
Antibiotics, comparisons 2/4 L, 4/7 L
Antibiotics, nephropathy from 5/7 L
Antibiotics, use in infants 5/11 L
Anticonvulsants, kinetics 1/12 L, 2/1 L
Anticonvulsants, review 2/11 L, 6/10 L, 8/6 L, 12/11 L
Anticonvulsants, withdrawal 4/4 L
Antidepressants, suicidal ideation 11/3 M
Antiemetic guidelines 5/6 L, 6/11 L
Antifungals, review 3/4 L, 10/6 L
Antihistamines 1/9 M, 7/3 L, 7/4 M
Antineoplastics, endocrine effect 3/2 L
Antipyretics 2/7 M, 5/8 L, 10/3 M
Antiretrovirals 10/4 L, 11/12 L
Aprotinin 12/5 L
Ardeparin 3/6 M
Aripiprazole 10/12 M
Arrhythmias, drug-induced 3/11 L
Aspirin 13/2 M
Astemizole 1/9 M
Asthma, magnesium in 5/7 L
Asthma, steroids 1/1 L, 12/11 L
Asthma, therapy in teens 1/8 L
Atenolol, use in Marfan syndrome 1/5 L
Atomoxetine 8/1 M, 8/4 M, 9/4M, 10/2 L,
10/9 L, 11/3 M, 11/6 L, 11/7 L

Atomoxetine, drug interactions 8/12 L, 10/3 L
Atorvastatin 8/9 M
Atovaquone/proguanil 10/3 M
Atropine 2/12 M
Attention-deficit/hyperactivity disorder (ADHD), therapy 1/12 M, 4/10 L, 8/1 L, 8/2 M, 8/3 M, 8/4 M, 11/8 L
Atypical antipsychotics 7/8 M, 10/7 L, 11/3 M
Autism, therapy 1/2 L, 14/1 M
Azithromycin 2/2 M, 3/11 L, 4/9 L, 8/1 L, 11/4 M

B

Balsalazide 13/3 F
Bayesian kinetics 3/2 L, 9/12 M
Beclomethasone 7/5 M
Benazepril 11/3 M
Benzalkonium chloride 2/9 M
Benzyl alcohol 2/9 M
Betamethasone 2/1 M, 3/11 L
Bioterrorism, treatment 12/8 L, 12/9 C
Black box warnings 8/12 M
Bone marrow trans., aminoglyc. 3/11 L
Bosentan 9/7 L, 9/12 M, 12/5 M
Botulinum toxin 9/3 M
Breastfeeding, drugs given during 1/12 L, 12/8 L, 13/9L
Breastfeeding, effect on liver 2/2 M
Brompheniramine 1/9 M
Budesonide 4/10 L, 7/3 L, 7/5 M, 7/9 C, 8/1 M, 10/3 M, 10/8 L, 13/3 F

C

Bumetanide 1/10 M
Buprenorphine, withdrawal 4/2 L
Bupropion 8/4 M, 12/6 L
Buspirone 8/1 L, 8/4 M, 12/6 L
Busulfan 10/3 M, 12/6 L
Caffeine 1/3 L, 5/12 M, 14/6 M
Caffeine, kinetics 3/8 L, 7/7 L
Calcium chloride 2/12 M
Carbamazepine 2/11 M, 5/7 L
Carbamazepine, drug interact. 1/6 L, 2/10 L
Carbamazepine/grapefruit juice 4/11 L
Cardiovascular drugs, kinetics 1/1 L
Carvedilol 11/2 M
Caspofungin 11/8 M, 13/5 L
Cefaclor 2/6 M
Cefadroxil 2/6 M
Cefepime 1/8 L, 3/2 L, 5/5 M, 13/7 L
Cefixime 2/6 M
Cefpodoxime 2/6 M
Cefprozil 2/6 M
Ceftazidime 1/4 L, 2/2 L
Ceftibuten 2/6 M, 3/11 L
Ceftriaxone 3/2 M, 8/7 L
Cefuroxime axetil 2/6 M, 2/7 L
Cefuroxime, during pregnancy 6/4 L
Celecoxib 8/12 L, 13/3 F
Cephalexin 2/6 M
Cephalosporins, review of oral 2/6 M
Cephadrine 2/6 M
Cetirizine 3/4 L, 7/4 M
Chloral hydrate 11/9 M
Chlorothiazide 1/10 M
Chlorpheniramine 1/9 M

Ciclesonide	13/3 F	Enalapril	8/10 L
Ciprofloxacin	4/12 M, 11/3 M	Enoxaparin	3/6 M, 7/2 L, 11/12 L, 13/11 M
Cisapride, drug interactions	2/11 M, 9/10 L, 9/12 M	Enteral feedings/phenytoin	6/9 L
Cisplatin	12/6 L	Epilepsy, treatment	2/4 L, 12/11 L
Clarithromycin	2/2 M, 6/1 L	Epinephrine	2/12 M, 14/5 M
Clarithromycin/itraconazole	5/12 L	Eplerenone	10/1 M
Clemastine	1/9 M	Epoetin	1/3 L, 5/12 M, 6/7 L, 8/11 M, 10/2 L
Clindamycin	14/2 M	Epoetin, enteral administration	6/11 L
Clobetasol	2/1 M	Ertapenem	12/6 M
Clofarabine	11/3 M	Erythema multiforme	4/11 M
Clonazepam, kinetics	2/3 L	Erythromycin	2/2 M
Clonidine	1/12 M	Erythromycin/sertraline	5/9 L
Clonidine, use in ADHD	6/2 L, 8/4 M, 13/11 M	Erythropoietin kinetics	5/2 L
<i>Clostridium difficile</i>	6/6 M	Etanercept	11/5 L, 13/8 M
Clozapine	7/8 M, 9/12 M	Ethanol	2/9 M
Codeine	10/4 M, 13/10 M	Etomidate	14/9 M
Compliance	1/4 L, 3/8 M, 5/11 L, 7/2 L, 8/1 L	Etoposide, kinetics/dynamics	1/9 L
Compliance, effect of taste	3/11 L	Excipients, pharmaceutical	2/9 M
Conscious sedation	2/3 L	Extravasations, IV	4/1 M
Corticosteroids, inhaled	9/7 L, 12/11 L	F	
Corticosteroids, intranasal	7/5 M	Famotidine	2/3 L, 2/9 L, 4/2 M, 9/6 L
Corticosteroids, topical	2/1 M	Felbamate, review	5/11 L
Co-trimoxazole	4/4 M	Fenoldopam	11/3 M
Creatinine clearance, prediction	1/10 L	Fentanyl	10/3 M
Cromolyn	5/7 M	Fexofenadine	7/4 M, 10/3 M, 13/3 F
Crotamiton	1/8 M	Flavorings	2/9 M
Croup, management	3/5 L	Fluconazole	1/2 L, 3/12 M
Cyclosporine	1/4 M	Fluconazole/warfarin	2/5 L
Cyclosporine, drug interactions	1/6 L, 2/4 L	Fludarabine	10/3 M
Cyclosporine, dynamics	5/10 L	Flunisolide	7/5 M
Cyclosporine, kinetics	2/3 L, 3/7 L, 12/4 L	Fluocinolone	2/1 M
Cyclosporine/norfloxacin	1/11 L	Fluocinonide	2/1 M
Cystic fibrosis, drug metabolism	1/1 L, 5/2 L	Fluoxetine	2/10 M, 8/4 M, 10/3 M
Cystic fibrosis, ibuprofen in	5/5 L	Flurandrenolide	2/1 M
Cystic fibrosis, therapy	1/11 L, 2/5 L	Fluticasone	2/1 M, 7/5 M, 10/3 M, 13/3 F
Cytochrome P450 enzymes	1/7 L, 3/5 M, 4/3 L, 6/2 L, 9/12 M, 13/10 M	Fluvastatin	8/9 M
D		Fluvoxamine	2/10 M
Dalteparin	3/6 M	Food and Drug Administration	1/11 M, 6/12 M, 8/1 M, 12/5 M, 12/9 L
Daptomycin	12/5 L	Fosinopril	10/3 M
Darbepoetin	8/1 M	Furosemide	1/10 M, 4/3 L
Depression, treatment of	5/2 L	G	
Desensitization, antimicrobials	3/11 L	Gabapentin	4/6 L, 7/6 L, 8/10 M
Desloratadine	11/3 M	Gabapentin, stability in food	4/5 L
Desonide	2/1 M, 13/3 F	Gastric acid suppression	11/5 L
Dexamethasone	2/1 M	G-CSF	1/1 L, 1/2 L, 6/11 L
Dexmedetomidine	12/1 M	Gentamicin	4/1 L, 8/1 L
Dexamethylphenidate	8/1 M, 12/6 L	Gentamicin, neonatal dosing	1/7 L, 7/2 L, 9/7 L
Dextroamphetamine	1/12 M, 8/1 M, 8/3 M, 13/3 F	Gentamicin, use in leukemia	2/1 L
Diazepam	10/6 L, 12/5 M, 13/3 F	Gestational diabetes, therapy	2/7 L
Digoxin, drug interactions	1/4 L	Glyburide/metformin	11/3 M
Dihydroergotamine (DHE)	13/7 M	Gloves, permeability	5/12 L
Dilution of medications	1/8 L	Granisetron	3/9 M
Diphenhydramine	1/9 M	Grapefruit juice/carbamazepine	4/11 L
Direct to consumer advertising	13/11 M	Group B Strep., therapy	3/8 L
Diuretics	1/10 M	Growth hormone	3/7 L, 11/3 M
Dornase alpha	1/1 L, 1/6 L, 2/3 L	Guanfacine	13/1 L, 13/3 F, 3/11 M, 14/4 M
Dorzolamide	11/3 M	H	
Doxapram	8/1 M, 8/2 L	Halbetasol	2/1 M
Doxepin, breastfeeding with	5/9 L	Halcinonide	2/1 M
Doxepin, toxicity with topical use	6/7 L	Heparin, dynamics	3/5 L
Doxycycline	9/10 M, 13/9 L	Heparin vs. saline in catheters	4/4 L
d-penicillamine, dosing	6/7 L	Hepatitis A vaccine	12/4 M
Droperidol	8/1 M	Herbal medicines	3/11 L, 4/5 M, 6/4 L, 12/4 L
Drug administration in ventilators	5/5 L	HIV, therapy in children	1/6 L
Drug approval process, FDA	1/11 M	HMG-CoA reductase inhibitors	5/12 L, 8/9 M
Drug expenditures	4/3 L	Human papillomavirus vaccine	12/9 L, 12/11 M, 13/3 F
Drug information	8/9 L, 8/12 M	Hydrochlorothiazide	1/10 M
Drug interactions, renal	4/7 L	Hydrocortisone	2/1 M, 13/4 M
Drug labeling, pediatrics	3/9 F, 12/5 M	Hydromorphone	14/7 M
Drug-nutrient interactions	1/5 M	Hydroxyurea, use in pregnancy	6/1 L
Drug reactions, idiosyncratic	2/10 L	Hypercholesterolemia	3/6 L, 8/9 M
Duloxetine	14/5 L	Hypertension, treatment	1/1 L, 6/5 L
Dyes and colorants	2/9 M	Hypertonic saline	13/10 L
E		I	
EMLA	2/1 M, 3/11 L	Ibuprofen	2/7 M

Ibuprofen lysine injection	12/5 M, 13/3 F	Methotrexate, kinetics	1/4 L
Ibuprofen, overdose	1/10 L, 4/9 L	Methylphenidate	1/12 M, 3/10 L, 8/2 M, 9/10 L, 11/3 M, 12/5 M, 12/8 L, 13/3 F, 14/3 M
Ibuprofen, pyloric stricture	5/9 L	Methylphenidate, abuse	9/8 L
Ibuprofen, renal toxicity	6/4 M	Methylphenidate, halving tabs	3/11 L
Ibuprofen, use in cystic fibrosis	5/5 L, 10/3 L	Methylphenidate, kinetics	5/10 L, 6/2 L
Idiosyncratic drug reactions	2/10 L	Methylphenidate, tolerance	6/1 L
Idursulfase	13/3 F	Metoclopramide	1/3 L, 4/5 L
Ifosfamide, metabolites	4/6 L	Metolazone	1/10 M
Imipenem-cilastatin	2/2 L	Midazolam	4/9 L, 6/1 M, 7/6 L, 8/1 L
Immune globulin, use in HIV	1/5 L	Midazolam, clearance	2/2 L
Indinavir, nephrotoxicity	3/11 L	Midazolam, compatibility	1/12 L
Indomethacin	14/3 L	Midazolam, intranasal	2/5 L
Infliximab	5/11 M, 7/9 L, 8/1 M, 11/3 M, 13/3 F, 13/8 M, 13/9 L	Midazolam, use in neonates	1/2 L
Influenza treatment	12/4 L	Milk:Plasma ratio	2/4 M
Influenza vaccine	10/8 M	Milrinone	9/2 M
Insulin	10/6 L, 13/5 L, 13/11 M	Mineral supplements	3/2 M
Insulin, inhaled	12/5 M	Minocycline-induced lupus	3/11 L
Internet, as information source	5/6 M, 5/12 L	Mirtazapine	6/2 M
Intraosseous drug administration	12/12 M	Modafinil	12/5 M
Irinotecan	11/3 M	Mometasone	2/1 M, 5/12 M, 7/5 M
Iron sucrose	11/12 L	Montelukast	4/10 M, 7/9 L, 12/8 L, 14/5 L
Isoniazid	1/2 L, 3/11 L	Moricizine	1/12 L, 12/9 L
Isotretinoin	7/7 M, 8/1 M, 12/5 M	Morphine	1/1 L
Isradipine	3/7 L, 8/8 L	Moxifloxacin	10/3 M
Itraconazole/clarithromycin	5/12 L	Muromonab-CD3, anaphylaxis	6/2 L
IV extravasations	4/1 M	Mycophenolate	4/1 L, 4/8 M
J		N	
Juvenile rheumatoid arthritis	5/12 L	Nalmefene, dosing/kinetics	6/9 L
K		Naloxone	2/12 M, 8/8 M, 9/11 L
Kawasaki syndrome, therapy	5/12 L	Naratriptan	7/5 L
Kernicterus, prevention	4/7 L	Nedocromil	5/7 M
Ketamine	11/10 L	Nelfinavir	11/3 M
Ketogenic diet	4/4 L	Nephrotic syndrome, treatment	9/8 L
Ketoprofen	9/12 M	Nesiritide	12/5 L, 12/8 M
Ketorolac	3/6 L, 5/7 L	Nicardipine	9/7 L
L		Nicotine, breastmilk	10/3 L
Lamivudine	8/1 M	Nitric oxide	7/4 L
Lamotrigine	1/3 L, 1/12 L, 5/3 M, 13/3 F, 13/11 M	Nitrofurantoin, breastmilk	7/7 L
Lamotrigine, kinetics	3/8 L, 5/7 L	Nizatidine	8/12 L, 11/3 M
Lansoprazole	5/4 M, 8/7 L, 11/3 M	Non-prescription medications	1/5 L
Leflunomide	11/3 M	Non-steroidal anti-inflammatory drugs (NSAIDs)	1/6 L, 11/3 M, 12/6 L
Levalbuterol, assessment	5/3 L	Norfloxacin/cyclosporine	1/11 L
Levetiracetam	8/7 M, 14/5 L	O	
Levothyroxine	14/10 M, 14/12 C	Obesity, therapy	3/11 L, 13/9 L
Lice, treatment	1/8 M	Ocreotide	9/7 L, 10/10 M
Lindane	1/8 M	Olanzapine	7/8 M
Linezolid	9/6 M, 9/12 M	Omalizumab	10/9 L, 13/3 F, 13/6 M
Lisdexamfetamine	13/3 F, 14/3 M	Omeprazole	5/4 M, 9/12 M, 10/2 L
Lisinopril	10/3 M	Ondansetron	1/2 L, 1/11 L, 3/9 M
Loracarbef	2/6 M	Ophthalmic anesthetics	11/5 L
Loratadine	1/9 M, 7/4 M, 13/3 F	Opioids, respiratory depression	2/3 L
Losartan	11/3 M	Opioids, tolerance and depend.	6/7 M
Lovastatin	8/9 M	Oral contraceptives	1/3 L
Low-molecular-weight heparins	3/6 M	Orlistat	10/3 M
M		Oseltamivir	6/12 F, 7/2 M, 11/3 M
Macrolides	2/2 M, 3/4 L	Otitis media, therapy	4/10 L, 7/3 L, 12/11 L
Macrolides, drug interactions	5/2 L	Over-the-counter recommend.	4/9 L
Magnesium, use in asthma	1/9 L	Oxcarbazepine	7/11 M, 9/12 M
Malathion	5/7 L	Oxybutynin	10/3 M
Measles vaccine, review	1/8 M	Oxycodone	10/7 L, 12/6 L
Measles, mumps, rubella, and varicella vaccine	5/2 L, 7/3 M	P	
Medication errors, prevention	11/12 M	Pain management	2/3 L, 2/6 L
Medication taste, compliance	1/1 L, 5/10 M, 10/8 L, 11/12 L, 12/6 L, 14/11 M, 14/12 M	Palivizumab	4/9 M, 6/2 L, 10/9 M
MedWatch	3/11 L	Pamidronate	10/3 L
Melatonin	1/3 M, 1/8 L	Parenteral nutrition	1/3 L, 5/12 L, 8/4 L
Meningococcal conjugate vaccine	9/11 M	Paricalcitol	11/3 M
Menstrual cycle, metabolism	11/5 M, 12/11 L	Paroxetine	2/10 M
Meropenem	4/6 L	Paroxetine/atomoxetine	8/12 L
Metered-dose inhalers, changes	3/10 L, 4/7 M	Patient-controlled analgesia	6/11 M
Metformin	4/3 L	Patient education	3/8 M
Methadone	7/2 L, 10/7 M	Pediatric pharmacology library	1/6 M
Methemoglobinemia	6/7 M, 8/1 L, 13/3 F	Pemoline	1/8 L, 1/12 M, 4/5 L, 8/4 M
	2/8 L	Permethrin	1/8 M
		PGE ₁	6/9 M

Pharmacokinetics, review	8/12 L	Smoking cessation	1/3 L
Phenobarbital, dialysis	3/10 L	Sodium bicarbonate	2/12 M
Phenobarbital, ECMO	5/6 L	Sodium ferric gluconate	11/3 M
Phenothiazines, review	5/10 L	Sodium phosphate, oral	12/5 M
Phenytoin	2/8 M, 7/5 L, 11/6 M	Solvents	2/9 M
Phenytoin/enteral feedings	6/9 L	Somatropin	11/3 M
Phenytoin, neonates	4/4 L	Sotalol	7/3 L, 7/4 L
Phosphate overdose	3/12 L	Spirolactone	1/10 M, 10/1 M
Photosensitivity, drug-induced	4/6 M	Splitting tablets	3/11 L, 4/3 L
Pimecrolimus	8/1 M, 8/5 M, 11/3 M, 12/5 M, 13/9L	Statistics articles	13/11 M
Placebo response	2/11 L	Stevens-Johnson syndrome	4/11 M
Placental drug transfer	1/4 L, 2/1 L	Sucrose, oral	11/6 L
Plasmapheresis, drug removal	13/11 M	Sufentanil	2/5 L, 8/1 M
Pneumococcal vaccine	5/12 M, 6/8 M, 7/3 M, 11/5 L	Sulfamethoxazole-trimethoprim	4/4 M
Pneumonia, treatment	11/8 L	Sumatriptan	9/12 M, 11/3 M
Poison prevention	1/3 M, 2/3 M, 4/3 M	Supraventricular tachycardia	4/6 L
Polio vaccine	3/7 M, 7/3 M, 10/6 M	Surfactants	2/3 L, 4/9 L, 10/3 L
Polyethylene glycol	2/9 M	Sweeteners	2/9 M
Poractant	5/12 M	T	
Pravastatin	8/9 M, 9/9 L	Tacrolimus	4/2 L, 4/10 L, 7/3 L, 9/5 M
Pregnancy, antiarrhythmics use	5/5 L	Tacrolimus/enteral feedings	4/8 L
Pregnancy, cefuroxime use	6/4 L	Tacrolimus, topical	8/5 M, 11/3 M, 12/5 M, 13/9L
Pregnancy, hydroxyurea use	6/1 L	Taste, effect on compliance	3/11 L
Pregnancy, labeling changes	6/12 F	Temozolomide	10/3 M
Pregnancy, metabolic function	3/11 L	Terbinafine	12/7 M
Preservatives	2/9 M, 4/3 L	Terfenadine	1/5 L, 1/9 M
Prolonged QT, drug-induced	11/10 M	Tetanus, diphtheria, acellular pertussis booster vaccine	11/7 M
Promethazine	9/8 L, 11/3 M, 12/5 M, 13/3 F	Theophylline, dosing	1/4 L, 1/9 L
Propafenone, during CVVH	5/10 L	Theophylline, drug interactions	1/5 L
Propofol	6/5 M	Therapeutic drug monitoring	1/7 M
Propylene glycol	2/9 M	Therapeutic equivalence	2/12 L
Protease inhibitors	7/3 L	Thimerosal	7/3 M
Proton pump inhibitors	5/4 M	Ticarcillin/clavulanic acid	1/9 L
Psychiatric disorders, therapy	2/6 L	Tobramycin	2/5 L, 14/9 L
Psychotropic use, predicting	1/12 L	Tobramycin, lung transplant	4/6 L
Pyrazinamide	8/8 L	Tobramycin, pharmacokinetics	3/11 L, 10/6 L
Pyrethrins	1/8 M	Tolterodine	11/3 M
Q		Topiramate	4/5 L, 5/12 M, 7/6 M, 7/11 L, 8/1 M, 9/12 M
Quetiapine	7/8 M	Toxic epidermal necrolysis	4/11 M
Quinapril	9/12 M	Triamcinolone	2/1 M, 7/5 M
Quinine	5/6 L	Trimethoprim-sulfamethoxazole	4/4 M
R		Type 2 diabetes, treatment	11/7 L
Rasburicase	12/9 L	U	
Remifentanyl	11/3 M, 11/12 L, 12/9 L	Urosdeoxycholic acid, use in CF	3/11 L
Renal drug interactions	4/7 L	V	
Respiratory syncytial virus (RSV)	3/10 M, 4/2 L, 4/9 M	Vaccines	3/7 M, 7/3 M
Retapamulin	13/9 M	Vaccines, adolescents	9/8 M
RSV immune globulin	3/10 M, 4/9 M, 6/2 L	Vaccines, adverse reactions	1/3 M, 3/7 M, 10/5 M
Reye's syndrome	8/8 L, 13/2 M	Vaccines, storage	1/6 M
Ribavirin	3/10 M	Valacyclovir	8/6 M
Rifampin	10/11 M, 12/11 L	Valproate, kinetics	1/12 L
Risperidone	2/5 L, 7/8 M, 13/3 F, 13/5 L, 13/6 L, 14/1 M	Valproic acid	3/3 M, 5/7 L, 13/6 L
Rocuronium	6/10 M	Vancomycin	1/2 M, 3/8 L, 3/9 L, 5/12 L, 12/5 L
Rotavirus vaccine	5/2 M, 6/12 F, 12/9 M, 13/3 F	Vancomycin, neonatal kinetics	3/11 L, 7/9 L, 10/6 L
S		Vancomycin-resistant organisms	1/2 M
Saline vs. heparin in catheters	4/4 L	Varicella vaccine	1/2 F
Salmeterol	1/1 F, 12/5 M	Vasopressin	9/9 M
Saquinavir	8/5 L, 11/3 M	Vecuronium	5/9 M
Scabies, treatment	1/8 M, 2/8 L	Venlafaxine	11/3 M
Scientific bias	3/9 L	Vitamin K	1/4 L, 7/10 M
Sedatives	4/10 L	Vitamin supplements	3/4 M
Sedatives, kinetics in neonates	3/3 L	W	
Selective 5HT ₃ reuptake inhibitors	2/10 M	Warfarin	1/1 M, 6/12 L
Self-medication, adolescents	13/5 M	Warfarin/fluconazole	2/5 L
Serotonin syndrome	12/3 M	X-Z	
Sertraline	2/10 M	Zafirlukast	5/12 M
Sertraline/erythromycin	5/9 L	Zidovudine	1/8 L, 4/1 L, 5/9 L, 9/12 M
Serum sickness, cross-sensitivity	4/7 L	Zinc, use in common cold	4/2 L
Sevelamer	12/5 L	Ziprasidone	7/8 M
Sildenafil	10/2 M, 12/4 L	Zolmitriptan	11/3 M
Simvastatin	8/9 M	Zolpidem	14/7 L
Sinusitis, therapy review	6/7 L	Zonisamide	11/11 M
Sirolimus	12/2 M		
Skin reactions, drug-induced	1/9 L, 4/11 M		