

# PEDIATRIC PHARMACOTHERAPY

A Monthly Newsletter for Health Care Professionals from the  
University of Virginia Children's Hospital

Volume 17 Number 1

January 2011

## Sixteen-year Cumulative Index

(Volume/issue and citation type: M= main feature; L= lit. review; F= FDA update; C= correction)

<b>A</b>			
Abacavir		11/5 L	
Acellular pertussis vaccine	3/2 L, 3/7 M, 3/9 L, 11/8 L		
Acetaminophen		2/7 M, 13/11 M	
Acetaminophen, overdose		6/3 M, 12/4 L	
Acetaminophen, rectal		5/12 L, 7/9 M	
Acetaminophen, adverse effects		1/6 L, 6/3 L	
Aclometasone		2/1 M	
Acyclovir		8/6 M	
Adalimumab		13/8M	
Adenosine		14/8 M, 16/7 M	
Adverse drug reactions	1/3 M, 2/10 L, 2/11 L, 4/11 L,		
		16/9 M	
Albuterol		2/5 M, 8/1 L, 14/5 L	
Alglucosidase alfa	12/5 M, 13/3 F, 13/11 M		
Almotriptan		15/11 M, 16/2 M	
Alprostadil (PGE <sub>1</sub> )		6/9 M	
Alteplase		5/6 L, 5/8 M	
Alternative therapies		4/5 M, 12/4 L	
Amcinonide		2/1 M	
Amiloride, kinetics		3/5 L, 9/2 L	
Aminocaproic acid		12/10 M	
Aminoglycosides, in transplant		3/11 L	
Aminoglycosides/vancomycin		12/5 L	
Amiodarone		7/12 M, 16/7 M	
Amlodipine		9/7 M, 10/3 M	
Amoxicillin, adverse effects		5/3 L	
Amphetamine		11/3 M	
Amphotericin		13/11 M	
Ampicillin, oral in neonates		4/1 L	
Ampicillin-clavulanate		8/1 L	
Anagrelide		11/3 M	
Analgesics, dosing		4/2 L, 16/9 M	
Anesthetics		4/11 L, 12/8 L	
Angiotensin converting enzyme (ACE) inhibitors		2/2 L	
Anidulafungin		12/5 M	
Antiarrhythmics, use in pregnancy		5/5 L	
Antibiotics, allergies		1/12 L	
Antibiotics, comparisons		2/4 L, 4/7 L	
Antibiotics, nephropathy from		5/7 L	
Antibiotics, use in infants		5/11 L	
Anticonvulsants, kinetics		1/12 L, 2/1 L	
Anticonvulsants, review	2/11 L, 6/10 L, 8/6 L, 12/11 L		
Anticonvulsants, withdrawal		4/4 L	
Antidepressants, suicidal ideation		11/3 M	
Antiemetic guidelines		5/6 L, 6/11 L	
Antifungals, review		3/4 L, 10/6 L	
Antihistamines		1/9 M, 7/3 L, 7/4 M	
Antineoplastics, endocrine effect		3/2 L	
Antipyretics		2/7 M, 5/8 L, 10/3 M	
Antiretrovirals	10/4 L, 11/12 L, 15/3 M		
Aprotinin		12/5 L	
Ardeparin		3/6 M	
Aripiprazole		10/12 M, 16/2 M	
Arrhythmias, drug-induced		3/11 L, 16/9 M	
Artemether-lumefantrine		16/2 M, 16/10 M	
Aspirin		13/2 M	
Astemizole		1/9 M	
Asthma	1/1 L, 1/8 L, 5/7 L, 12/11 L		
Atenolol,		1/5 L	
use in Marfan syndrome			
Atomoxetine		8/1 M, 8/4 M, 9/4M, 10/2 L,	
		10/9 L, 11/3 M, 11/6 L, 11/7 L	
Atomoxetine, drug interactions		8/12 L, 10/3 L	
Atorvastatin		8/9 M	
Atovaquone/proguanil		10/3 M	
Atropine		2/12 M, 16/7 M	
Attention-deficit/hyperactivity disorder (ADHD), therapy	1/12 M, 4/10 L, 8/1 L, 8/2 M,		
	8/3 M, 8/4 M, 11/8 L		
Atypical antipsychotics		7/8 M, 10/7 L, 11/3 M	
Autism, therapy		1/2 L, 14/1 M	
Azithromycin		2/2 M, 3/11 L, 4/9 L, 8/1 L,	
		11/4 M	
<b>B</b>			
Balsalazide		13/3 F	
Beclomethasone		7/5 M	
Benazepril		11/3 M	
Benzalkonium chloride		2/9 M	
Benzyl alcohol		2/9 M	
Betamethasone		2/1 M, 3/11 L	
Bioterrorism, treatment		12/8 L, 12/9 C	
Black box warnings		8/12 M	
Bosentan		9/7 L, 9/12 M, 12/5 M	
Botulinum toxin		9/3 M	
Breastfeeding, drugs given during	1/12 L, 12/8 L, 13/9 L		
Breastfeeding, effect on liver		2/2 M	
Brompheniramine		1/9 M	
Budesonide	4/10 L, 7/3 L, 7/5 M, 7/9 C,		
	8/1 M, 10/3 M, 10/8 L, 13/3 F		
Bumetanide		1/10 M	
Buprenorphine, withdrawal		4/2 L	
Bupropion		8/4 M, 12/6 L	
Buspirone		8/1 L, 8/4 M, 12/6 L	
Busulfan		10/3 M, 12/6 L	
<b>C</b>			
Caffeine		1/3 L, 5/12 M, 14/6 M	
Caffeine, kinetics		3/8 L, 7/7 L, 15/3 M	
Calcium chloride		2/12 M, 16/7 M	
Carbamazepine		2/11 M, 5/7 L	
Carbamazepine, interactions		1/6 L, 2/10 L, 4/11 L	
Carvedilol		11/2 M	
Casopfungin		11/8 M, 13/5 L	
Cefaclor		2/6 M	
Cefadroxil		2/6 M	
Cefepime		1/8 L, 3/2 L, 5/5 M, 13/7 L	
Cefixime		2/6 M	
Cefpodoxime		2/6 M	
Cefprozil		2/6 M	
Ceftazidime		1/4 L, 2/2 L	
Ceftibuten		2/6 M, 3/11 L	
Ceftriaxone		3/2 M, 8/7 L	
Cefuroxime axetil		2/6 M, 2/7 L	
Cefuroxime, during pregnancy		6/4 L	
Celecoxib		8/12 L, 13/3 F	
Cephalexin		2/6 M	
Cephadrine		2/6 M	
Cetirizine		3/4 L, 7/4 M, 16/6 M	
Chloral hydrate		11/9 M	
Chlorothiazide		1/10 M	
Chlorpheniramine		1/9 M	
Ciclesonide		13/3 F	
Ciprofloxacin		4/12 M, 11/3 M	
Cisapride, drug interactions		2/11 M, 9/10 L, 9/12 M	

Cisplatin	12/6 L	Epoetin	1/3 L, 5/12 M, 6/7 L, 6/11 L, 8/11 M, 10/2 L
Clarithromycin	2/2 M, 6/1 L	Escitalopram	15/9 M, 16/2 M
Clarithromycin/itraconazole	5/12 L	Ertapenem	12/6 M
Clemastine	1/9 M	Erythema multiforme	4/11 M
Clindamycin	14/2 M	Erythromycin	2/2 M, 5/9 L, 16/4 M
Clobetasol	2/1 M	Etanercept	11/5 L, 13/8 M
Clofarabine	11/3 M	Ethanol	2/9 M
Clonazepam, kinetics	2/3 L	Etomidate	14/9 M
Clonidine	10/4 M, 6/2 L, 8/4 M, 13/11 M	Etoposide, kinetics/dynamics	1/9 L
Clopidogrel	16/5 M	Excipients, pharmaceutical	2/9 M
<i>Clostridium difficile</i>	6/6 M	Extravasations, IV	4/1 M
Clozapine	7/8 M, 9/12 M	<b>F</b>	
Codeine	10/4 M, 13/10 M, 15/3 M	Famotidine	2/3 L, 2/9 L, 4/2 M, 9/6 L
Compliance	1/4 L, 3/8 M, 5/11 L, 7/2 L, 8/1 L	Felbamate, review	5/11 L
Compliance, effect of taste	3/11 L	Fenoldopam	11/3 M
Conscious sedation	2/3 L	Fentanyl	10/3 M
Corticosteroids, inhaled	9/7 L, 12/11 L	Fexofenadine	7/4 M, 10/3 M, 13/3 F
Corticosteroids, intranasal	7/5 M	Flavorings	2/9 M
Corticosteroids, topical	2/1 M	Fluconazole	1/2 L, 3/12 M
Co-trimoxazole	4/4 M	Fluconazole/warfarin	2/5 L
Creatinine clearance, prediction	1/10 L	Fludarabine	10/3 M
Cromolyn	5/7 M	Flunisolide	7/5 M
Crotamiton	1/8 M	Fluocinolone	2/1 M
Croup, management	3/5 L	Fluocinonide	2/1 M
Cyclosporine	1/4 M	Fluoxetine	2/10 M, 8/4 M, 10/3 M
Cyclosporine, drug interactions	1/6 L, 2/4 L	Flurandrenolide	2/1 M
Cyclosporine, dynamics	5/10 L	Fluticasone	2/1 M, 7/5 M, 10/3 M, 13/3 F
Cyclosporine, kinetics	2/3 L, 3/7 L, 12/4 L	Fluvastatin	8/9 M
Cyclosporine/norfloxacin	1/11 L	Fluvoxamine	2/10 M
Cystic fibrosis, drug metabolism	1/1 L, 5/2 L	Food and Drug Administration	1/11 M, 6/12 M, 8/1 M, 12/5 M, 12/9 L
Cystic fibrosis, ibuprofen in	5/5 L	Fosinopril	10/3 M
Cystic fibrosis, therapy	1/11 L, 2/5 L, 15/11 L	Furosemide	1/10 M, 4/3 L, 15/8 M
Cytochrome P450 enzymes	1/7 L, 3/5 M, 4/3 L, 6/2 L, 9/12 M, 13/10 M	<b>G</b>	
<b>D</b>		Gabapentin	4/5 L, 4/6 L, 7/6 L, 8/10 M
Dalteparin	3/6 M	Ganciclovir	15/10 M
Daptomycin	12/5 L	Gastric acid suppression	11/5 L
Darbepoetin	8/1 M	G-CSF	1/1 L, 1/2 L, 6/11 L
Desensitization, antimicrobials	3/11 L	Gentamicin	4/1 L, 8/1 L, 16/9 M
Desloratadine	11/3 M	Gentamicin, neonatal dosing	1/7 L, 7/2 L, 9/7 L
Desonide	2/1 M, 13/3 F	Gentamicin, use in leukemia	2/1 L
Dexamethasone	2/1 M	Gestational diabetes, therapy	2/7 L
Dexmedetomidine	12/1 M	Glyburide/metformin	11/3 M
Dexmethylphenidate	8/1 M, 12/6 L	Glycopyrrolate	16/12 M
Dextroamphetamine	1/12 M, 8/1 M, 8/3 M, 13/3 F	Gloves, permeability	5/12 L
Diazepam	10/6 L, 12/5 M, 13/3 F	Granisetron	3/9 M
Digoxin, drug interactions	1/4 L	Grapefruit juice/carbamazepine	4/11 L
Dihydroergotamine (DHE)	13/7 M	Group B Strep., therapy	3/8 L
Dilution of medications	1/8 L	Growth hormone	3/7 L, 11/3 M, 15/3 M
Diphenhydramine	1/9 M	Guanfacine	13/1 L, 13/3 F, 3/11 M, 14/4 M
Direct to consumer advertising	13/11 M	<b>H</b>	
Diuretics	1/10 M	Halbetasol	2/1 M
Dornase alpha	1/1 L, 1/6 L, 2/3 L	Halcinonide	2/1 M
Dorzolamide	11/3 M	Heparin, dynamics	3/5 L
Doxapram	8/1 M, 8/2 L	Heparin vs. saline in catheters	4/4 L
Doxepin, breastfeeding with	5/9 L	Hepatitis A vaccine	12/4 M
Doxepin, toxicity with topical use	6/7 L	Herbal medicines	3/11 L, 4/5 M, 6/4 L, 12/4 L
Doxycycline	9/10 M, 13/9 L	HIV, therapy in children	1/6 L
d-penicillamine, dosing	6/7 L	HMG-CoA reductase inhibitors	5/12 L, 8/9 M
DRESS syndrome	16/9 M	Human papillomavirus vaccine	12/9 L, 12/11 M, 13/3 F
Droperidol	8/1 M	Hydrochlorothiazide	1/10 M
Drug administration in ventilators	5/5 L	Hydrocortisone	2/1 M, 13/4 M
Drug approval process, FDA	1/11 M, 16/9 M	Hydromorphone	14/7 M
Drug information	8/9 L, 8/12 M	Hydroxyurea, use in pregnancy	6/1 L
Drug interactions, renal	4/7 L	Hypercholesterolemia	3/6 L, 8/9 M
Drug labeling, pediatrics	3/9 F, 12/5 M	Hypertension, treatment	1/1 L, 6/5 L
Drug-nutrient interactions	1/5 M	Hypertonic saline	13/10 L
Drug reactions	2/10 L, 16/9 M	<b>I</b>	
Duloxetine	14/5 L	Ibuprofen	2/7 M, 15/3 M
Dyes and colorants	2/9 M	Ibuprofen lysine injection	12/5 M, 13/3 F
<b>E</b>		Ibuprofen, overdose	1/10 L, 4/9 L
EMLA	2/1 M, 3/11 L	Ibuprofen, pyloric stricture	5/9 L
Enalapril	8/10 L	Ibuprofen, renal toxicity	6/4 M
Enoxaparin	3/6 M, 7/2 L, 11/12 L, 13/11 M	Ibuprofen, use in cystic fibrosis	5/5 L, 10/3 L
Epinephrine	2/12 M, 14/5 M, 16/7 M	Idiosyncratic drug reactions	2/10 L
Eplerenone	10/1 M	Idursulfase	13/3 F

Ifosfamide, metabolites	4/6 L	Methylphenidate, halving tabs	3/11 L
Imipenem-cilastatin	2/2 L	Methylphenidate, kinetics	5/10 L, 6/2 L
Immune globulin, use in HIV	1/5 L	Methylphenidate, tolerance	6/1 L
Indinavir, Nephrotoxicity	3/11 L	Metoclopramide	1/3 L, 4/5 L
Indomethacin	14/3 L	Metolazone	1/10 M
Infliximab	5/11 M, 7/9 L, 8/1 M, 11/3 M, 13/3 F, 13/8 M, 13/9 L, 16/9 M	Midazolam	4/9 L, 6/1 M, 7/6 L, 8/1 L
Influenza treatment	12/4 L	Midazolam, clearance	2/2 L
Influenza vaccine	10/8 M	Midazolam, compatibility	1/12 L
Insulin	10/6 L, 13/5 L, 13/11 M	Midazolam, intranasal	2/5 L
Insulin, inhaled	12/5 M	Midazolam, use in neonates	1/2 L
Internet, as information source	5/6 M, 5/12 L	Milk:Plasma ratio	2/4 M
Intraosseous drug administration	12/12 M	Milrinone	9/2 M
Irinotecan	11/3 M	Mineral supplements	3/2 M
Iron sucrose	11/12 L	Minocycline-induced lupus	3/11 L
Isoniazid	1/2 L, 3/11 L	Mirtazapine	6/2 M
Isotretinoin	7/7 M, 8/1 M, 12/5 M	Modafinil	12/5 M
Isradipine	3/7 L, 8/8 L	Mometasone	2/1 M, 5/12 M, 7/5 M
Itraconazole/clarithromycin	5/12 L	Montelukast	4/10 M, 7/9 L, 12/8 L, 14/5 L, 15/3 L
IV extravasations	4/1 M	Moricizine	1/12 L, 12/9 L
<b>J</b>		Morphine	1/1 L
Juvenile rheumatoid arthritis	5/12 L	Moxifloxacin	10/3 M
<b>K</b>		Muromonab-CD3, anaphylaxis	6/2 L
Kawasaki syndrome, therapy	5/12 L	Mycophenolate	4/1 L, 4/8 M, 15/3 M
Kernicterus, prevention	4/7 L	<b>N</b>	
Ketamine	11/10 L	Nalmefene, dosing/kinetics	6/9 L
Ketogenic diet	4/4 L	Naloxone	2/12 M, 8/8 M, 9/11 L
Ketoprofen	9/12 M	Naratriptan	7/5 L
Ketorolac	3/6 L, 5/7 L	Nedocromil	5/7 M
<b>L</b>		Nelfinavir	11/3 M
Lamivudine	8/1 M	Nephrotic syndrome, treatment	9/8 L
Lamotrigine	1/3 L, 1/12 L, 5/3 M, 13/3 F, 13/11 M	Nesiritide	12/5 L, 12/8 M
Lamotrigine, kinetics	3/8 L, 5/7 L	Nicardipine	9/7 L
Lansoprazole	5/4 M, 8/7 L, 11/3 M	Nicotine, breastmilk	10/3 L
Leflunomide	11/3 M	Nitric oxide	7/4 L
Levalbuterol, assessment	5/3 L	Nitrofurantoin, breastmilk	7/7 L
Levetiracetam	8/7 M, 14/5 L, 16/9 M	Nizatidine	8/12 L, 11/3 M
Levocetirizine	16/2 M, 16/6 M	Non-prescription medications	1/5 L
Levothyroxine	14/10 M, 14/12 C	Non-steroidal anti-inflammatory drugs (NSAIDs)	1/6 L, 11/3 M, 12/6 L
Lice, treatment	1/8 M	Norfloxacin/cyclosporine	1/11 L
Lindane	1/8 M	<b>O</b>	
Linezolid	9/6 M, 9/12 M	Obesity, therapy	3/11 L, 13/9 L
Lisdexamfetamine	13/3 F, 14/3 M	Octreotide	9/7 L, 10/10 M
Lisinopril	10/3 M	Olanzapine	7/8 M
Lopinavir	16/9 M	Omalizumab	10/9 L, 13/3 F, 13/6 M
Loracarbef	2/6 M	Omeprazole	5/4 M, 9/12 M, 10/2 L
Loratadine	1/9 M, 7/4 M, 13/3 F	Ondansetron	1/2 L, 1/11 L, 3/9 M
Losartan	11/3 M	Ophthalmic anesthetics	11/5 L
Lovastatin	8/9 M	Opioids, respiratory depression	2/3 L
Low-molecular-weight heparins	3/6 M	Opioids, tolerance and depend.	6/7 M
<b>M</b>		Oral contraceptives	1/3 L
Macrolides	2/2 M, 3/4 L 5/2 L	Orlistat	10/3 M
Macrolides, drug interactions	1/9 L	Oseltamivir	6/12 F, 7/2 M, 11/3 M
Magnesium, use in asthma	5/7 L	Otitis media, therapy	4/10 L, 7/3 L, 12/11 L
Malathion	1/8 M	Over-the-counter recommend.	4/9 L
Measles vaccine, review	5/2 L, 7/3 M	Oxcarbazepine	7/11 M, 9/12 M
Measles, mumps, rubella, and varicella vaccine	11/12 M	Oxybutynin	10/3 M
Medication errors, prevention	1/1 L, 5/10 M, 10/8 L, 11/12 L, 12/6 L, 14/11 M, 14/12 M	Oxycodone	10/7 L, 12/6 L
Medication taste, compliance	3/11 L	<b>P</b>	
MedWatch	1/3 M, 1/8 L	Pain management	2/3 L, 2/6 L
Melatonin	9/11 M	Palivizumab	4/9 M, 6/2 L, 10/9 M
Meningococcal conjugate vaccine	11/5 M, 12/11 L	Pamidronate	10/3 L
Menstrual cycle, metabolism	4/6 L	Parenteral nutrition	1/3 L, 5/12 L, 8/4 L
Meropenem	3/10 L, 4/7 M	Paricalcitol	11/3 M
Metered-dose inhalers, changes	4/3 L	Paroxetine	2/10 M
Metformin	7/2 L, 10/7 M	Paroxetine/atomoxetine	8/12 L
Methadone	6/7 M, 8/1 L, 13/3 F	Patient-controlled analgesia	6/11 M
Methemoglobinemia	2/8 L	Patient education	3/8 M
Methotrexate, kinetics	1/4 L	Pediatric pharmacology library	1/6 M
Methylphenidate	1/12 M, 3/10 L, 8/2 M, 9/10 L, 11/3 M, 12/5 M, 12/8 L, 13/3 F, 14/3 M	Pemoline	1/8 L, 1/12 M, 4/5 L, 8/4 M
Methylphenidate, abuse	9/8 L	Permethrin	1/8 M
		PGE <sub>1</sub>	6/9 M
		Pharmacokinetics, review	8/12 L, 15/3 M
		Phenobarbital, dialysis	3/10 L
		Phenobarbital, ECMO	5/6 L
		Phenothiazines, review	5/10 L

Phenytoin	2/8 M, 4/4 L, 7/5 L, 11/6 M	Sodium phosphate, oral	12/5 M
Phenytoin/enteral feedings	6/9 L	Somatropin	11/3 M
Phosphate overdose	3/12 L	Sotalol	7/3 L, 7/4 L
Photosensitivity, drug-induced	4/6 M	Spirolactone	1/10 M, 10/1 M
Pimecrolimus	8/1 M, 8/5 M, 11/3 M, 12/5 M, 13/9 L	Splitting tablets	3/11 L, 4/3 L
Placebo response	2/11 L	Stevens-Johnson syndrome	4/11 M
Placental drug transfer	1/4 L, 2/1 L	Sucrose, oral	11/6 L
Plasmapheresis, drug removal	13/11 M	Sufentanil	2/5 L, 8/1 M
Pneumococcal vaccine	5/12 M, 6/8 M, 7/3 M, 11/5 L	Sulfamethoxazole-trimethoprim	4/4 M
Pneumonia, treatment	11/8 L	Sumatriptan	9/12 M, 11/3 M
Poison prevention	1/3 M, 2/3 M, 4/3 M	Supraventricular tachycardia	4/6 L
Polio vaccine	3/7 M, 7/3 M, 10/6 M	Surfactants	2/3 L, 4/9 L, 10/3 L
Polyethylene glycol	2/9 M	Sweeteners	2/9 M
Portacant	5/12 M	<b>T</b>	
Pravastatin	8/9 M, 9/9 L	Tacrolimus	4/2 L, 4/10 L, 7/3 L, 9/5 M
Pregnancy, drugs in	3/11 L, 5/5 L, 6/1 L, 6/4 L, 6/12 F, 16/1 M	Tacrolimus/enteral feedings	4/8 L
Preservatives	2/9 M, 4/3 L	Tacrolimus, topical	8/5 M, 11/3 M, 12/5 M, 13/9 L
Prolonged QT, drug-induced	11/10 M	Taste, effect on compliance	3/11 L
Promethazine	9/8 L, 11/3 M, 12/5 M, 13/3 F, 16/3 M	Temozolomide	10/3 M
Propafenone, during CVVH	5/10 L	Terbinafine	12/7 M
Propofol	6/5 M	Terfenadine	1/5 L, 1/9 M
Propranolol	16/8 M	Tetanus, diphtheria, acellular pertussis booster vaccine	11/7 M
Propylene glycol	2/9 M	Theophylline, dosing	1/4 L, 1/5 L, 1/9 L
Protease inhibitors	7/3 L	Therapeutic drug monitoring	1/7 M
Proton pump inhibitors	5/4 M, 15/3 M	Therapeutic equivalence	2/12 L
Psychiatric disorders, therapy	2/6 L	Thimerosal	7/3 M
Psychotropic use, predicting	1/12 L	Thrombocytopenia, drug-induced	16/11 M
Pyrazinamide	8/8 L	Ticarcillin/clavulanic acid	1/9 L
Pyrethrins	1/8 M	Tobramycin	2/5 L, 14/9 L
<b>Q</b>		Tobramycin, lung transplant	4/6 L
QT prolongation	16/9 M	Tobramycin, pharmacokinetics	3/11 L, 10/6 L
Quetiapine	7/8 M, 15/6 L	Tolterodine	11/3 M
Quinapril	9/12 M	Topiramate	4/5 L, 5/12 M, 7/6 M, 7/11 L, 8/1 M, 9/12 M
Quinine	5/6 L	Toxic epidermal necrolysis	4/11 M
<b>R</b>		Triamcinolone	2/1 M, 7/5 M
Rasburicase	12/9 L	Trimethoprim-sulfamethoxazole	4/4 M, 16/9 M
Remifentanyl	11/3 M, 11/12 L, 12/9 L	Type 2 diabetes, treatment	11/7 L
Renal drug interactions	4/7 L	<b>U</b>	
Respiratory syncytial virus (RSV)	3/10 M, 4/2 L, 4/9 M	Urosdeoxycholic acid (ursodiol)	3/11 L, 15/2 M
Retapamulin	13/9 M	<b>V</b>	
RSV immune globulin	3/10 M, 4/9 M, 6/2 L	Vaccines	3/7 M, 7/3 M
Reye's syndrome	8/8 L, 13/2 M	Vaccines, adolescents	9/8 M
Ribavirin	3/10 M	Vaccines, adverse reactions	1/3 M, 3/7 M, 10/5 M
Rifampin	10/11 M, 12/11 L	Vaccines, storage	1/6 M
Risperidone	2/5 L, 7/8 M, 13/3 F, 13/5 L, 13/6 L, 14/1 M	Valacyclovir	8/6 M
Rocuronium	6/10 M	Valganciclovir	15/10 M, 16/2 M
Rotavirus vaccine	5/2 M, 6/12 F, 12/9 M, 13/3 F	Valproate, kinetics	1/12 L
Rufinamide	15/4 M	Valproic acid	3/3 M, 5/7 L, 13/6 L, 15/6 L, 16/9 M
<b>S</b>		Vancomycin	1/2 M, 3/8 L, 3/9 L, 5/12 L, 12/5 L
<i>Saccharomyces boulardii</i>	15/7 M	Vancomycin, neonatal kinetics	3/11 L, 7/9 L, 10/6 L
Saline vs. heparin in catheters	4/4 L	Vancomycin-resistant organisms	1/2 M
Salmeterol	1/1 F, 12/5 M	Varicella vaccine	1/2 F
Sapropterin	15/11 L	Vasopressin	9/9 M, 16/7 M
Saquinavir	8/5 L, 11/3 M	Vecuronium	5/9 M
Scabies, treatment	1/8 M, 2/8 L	Venlafaxine	11/3 M
Scientific bias	3/9 L	Vigabatrin	15/12 M, 16/2 M
Sedatives	4/10 L	Vitamin D	15/5 M, 15/6 M
Sedatives, kinetics in neonates	3/3 L	Vitamin K	1/4 L, 7/10 M
Selective 5HT <sub>3</sub> reuptake inhibitors	2/10 M	Vitamin supplements	3/4 M
Self-medication, adolescents	13/5 M	Voriconazole	15/3 M
Serotonin syndrome	12/3 M	<b>W</b>	
Sertraline	2/10 M	Warfarin	1/1 M, 6/12 L
Sertraline/erythromycin	5/9 L	Warfarin/fluconazole	2/5 L
Serum sickness, cross-sensitivity	4/7 L	<b>X-Z</b>	
Sevelamer	12/5 L	Zafirlukast	5/12 M
Sildenafil	10/2 M, 12/4 L, 15/3 M	Zidovudine	4/1 L, 9/12 M
Simvastatin	8/9 M	Zidovudine, kinetics in infants	5/9 L
Sinusitis, therapy review	6/7 L	Zidovudine, use in pregnancy	1/8 L
Sirolimus	12/2 M	Zinc, use in common cold	4/2 L
Skin reactions, drug-induced	1/9 L, 4/11 M	Ziprasidone	7/8 M
Smoking cessation	1/3 L	Zolmitriptan	11/3 M
Sodium bicarbonate	2/12 M, 16/7 M	Zolpidem	14/7 L
Sodium ferric gluconate	11/3 M	Zonisamide	11/11 M