

PEDIATRIC PHARMACOTHERAPY

A Monthly Newsletter for Health Care Professionals from the
University of Virginia Children's Hospital

Volume 19 Number 1

January 2013

Cumulative Index

(Volume/issue and citation type: M= main feature; L= lit. review; F= FDA update; C= correction)

A	
Abacavir	11/5 L
Acellular pertussis vaccine	3/2 L, 3/7 M, 3/9 L, 11/8 L
Acetaminophen	1/6 L, 2/7 M, 6/3 L, 13/11 M
Acetaminophen, intravenous	17/4 M
Acetaminophen overdose	6/3 M, 12/4 L
Acetaminophen, rectal	5/12 L, 7/9 M
Aclometasone	2/1 M
Acyclovir	8/6 M
Adalimumab	13/8 M
Adenosine	14/8 M
Adverse drug reactions	1/3 M, 2/10 L, 2/11 L, 4/11 L, 17/6 L
Albuterol	2/5 M, 8/1 L, 14/5 L
Alglucosidase alfa	12/5 M, 13/3 F, 13/11 M
Almotriptan	15/11 M
Alprostadil (PGE ₁)	6/9 M
Alteplase	5/6 L, 5/8 M
Alternative therapies	4/5 M, 12/4 L
Amcinonide	2/1 M
Amiloride kinetics	3/5 L, 9/2 L
Aminocaproic acid	12/10 M
Aminoglycosides in transplant	3/11 L
Aminoglycosides/vancomycin	12/5 L
Amiodarone	7/12 M
Amlodipine	9/7 M, 10/3 M
Amoxicillin adverse effects	5/3 L
Amphetamine	11/3 M
Amphotericin	13/11 M
Ampicillin, oral in neonates	4/1 L
Ampicillin-clavulanate	8/1 L
Anagrelide	11/3 M
Analgesics, dosing	4/2 L
Anesthetics	4/11 L, 12/8 L
Angiotensin converting enzyme (ACE) inhibitors	2/2 L
Anidulafungin	12/5 M, 17/6 L
Antiarrhythmics, use in pregnancy	5/5 L
Antibiotics, allergies	1/12 L
Antibiotics	2/4 L, 4/7 L, 5/7 L
Antibiotics, use in infants	5/11 L
Anticonvulsants, kinetics	1/12 L, 2/1 L
Anticonvulsants review	2/11 L, 4/4 L, 6/10 L, 8/6 L, 12/11 L, 18/12 M
Antidepressants, suicidal ideation	11/3 M
Antiemetic guidelines	5/6 L, 6/11 L
Antifungals review	3/4 L, 10/6 L
Antihistamines	1/9 M, 7/3 L, 7/4 M
Antineoplastics, endocrine effect	3/2 L
Antipyretics	2/7 M, 5/8 L, 10/3 M
Antiretrovirals	10/4 L, 11/12 L
Aprotinin	12/5 L
Ardeparin	3/6 M
Aripiprazole	10/12 M
Arrhythmias, drug-induced	3/11 L
Artemether-Lumefantrine	16/10 M
Aspirin	13/2 M
Astemizole	1/9 M
Asthma	1/1 L, 1/8 L, 5/7 L, 12/11 L
Atenolol, use in Marfan syndrome	1/5 L
Atomoxetine	8/1 M, 8/4 M, 9/4 M, 10/2 L, 10/9 L, 11/3 M, 11/6 L, 11/7 L
Atomoxetine drug interactions	8/12 L, 10/3 L
Atorvastatin	8/9 M
Atovaquone/proguanil	10/3 M
Atropine	2/12 M, 16/7 M
Attention-deficit/hyperactivity disorder (ADHD) therapy	1/12 M, 4/10 L, 8/1 L, 8/2 M, 8/3 M, 8/4 M, 11/8 L, 17/3 M
Atypical antipsychotics	7/8 M, 10/7 L, 11/3 M
Autism therapy	1/2 L, 14/1 M
Azithromycin	2/2 M, 3/11 L, 4/9 L, 8/1 L, 11/4 M
B	
Balsalazide	13/3 F
Beclomethasone	7/5 M
Benazepril	11/3 M
Benzalkonium chloride	2/9 M
Benzyl alcohol	2/9 M, 18/6 M
Betamethasone	2/1 M, 3/11 L
Bioterrorism, treatment	12/8 L, 12/9 C
Black box warnings	8/12 M
Bosentan	9/7 L, 9/12 M, 12/5 M, 17/11 M
Botulinum toxin	9/3 M
Breastfeeding, drugs given during	1/12 L, 12/8 L, 13/9 L
Breastfeeding, effect on liver	2/2 M
Brompheniramine	1/9 M
Budesonide	4/10 L, 7/3 L, 7/5 M, 7/9 C, 8/1 M, 10/3 M, 10/8 L, 13/3 F
Bumetanide	1/10 M
Buprenorphine withdrawal	4/2 L
Bupropion	8/4 M, 12/6 L
Buspirone	8/1 L, 8/4 M, 12/6 L
Busulfan	10/3 M, 12/6 L
C	
Caffeine	1/3 L, 5/12 M, 14/6 M
Caffeine, kinetics	3/8 L, 7/7 L
Calcium chloride	2/12 M, 16/7 M
Carbamazepine	2/11 M, 5/7 L, 18/11 M
Carbamazepine interactions	1/6 L, 2/10 L, 4/11 L
Carvedilol	11/2 M
Casposungin	11/8 M, 13/5 L
Cefaclor	2/6 M
Cefadroxil	2/6 M
Cefepime	1/8 L, 3/2 L, 5/5 M, 13/7 L, 18/10 M
Cefixime	2/6 M
Cefpodoxime	2/6 M
Cefprozil	2/6 M
Ceftazidime	1/4 L, 2/2 L
Ceftibuten	2/6 M, 3/11 L
Ceftriaxone	3/2 M, 8/7 L
Cefuroxime axetil	2/6 M, 2/7 L
Cefuroxime, during pregnancy	6/4 L
Celecoxib	8/12 L, 13/3 F
Cephalexin	2/6 M
Cephadrine	2/6 M
Cetirizine	3/4 L, 7/4 M, 16/6 M
Chloral hydrate	11/9 M
Chlorothiazide	1/10 M
Chlorpheniramine	1/9 M
Ciclesonide	13/3 F, 18/5 M
Ciprofloxacin	4/12 M, 11/3 M
Cisapride interactions	2/11 M, 9/10 L, 9/12 M

Cisplatin	12/6 L	Enalapril	8/10 L
Clarithromycin	2/2 M, 6/1 L, 18/10 M	Enoxaparin	3/6 M, 7/2 L, 11/12 L, 13/11 M, 17/9 M
Clarithromycin/itraconazole	5/12 L	Epinephrine	2/12 M, 14/5 M, 16/7 M
Clemastine	1/9 M	Eplerenone	10/1 M
Clevidipine	17/8 L	Epoetin	1/3 L, 5/12 M, 6/7 L, 6/11 L, 8/11 M, 10/2 L
Clindamycin	14/2 M	Escitalopram	15/9 M
Clobazam	17/12 M	Ertapenem	12/6 M
Clobetasol	2/1 M	Erythema multiforme	4/11 M
Clofarabine	11/3 M	Erythromycin	2/2 M, 5/9 L, 16/4 M
Clonazepam, kinetics	2/3 L	Etanercept	11/5 L, 13/8 M
Clonidine	1/12 M, 6/2 L, 8/4 M, 13/11 M	Ethanol	2/9 M
Clopidogrel	16/5 M	Etomidate	14/9 M
<i>Clostridium difficile</i>	6/6 M	Etoposide, kinetics/dynamics	1/9 L
Clozapine	7/8 M, 9/12 M	Excipients, pharmaceutical	2/9 M
Codeine	10/4 M, 13/10 M, 18/6 L, 18/10 M	Extravasations, IV	4/1 M
Compliance	1/4 L, 3/8 M, 3/11 L, 5/11 L, 7/2 L, 8/1 L	F	
Conscious sedation	2/3 L	Famotidine	2/3 L, 2/9 L, 4/2 M, 9/6 L
Corticosteroids, inhaled	9/7 L, 12/11 L	Felbamate	5/11 L
Corticosteroids, intranasal	7/5 M	Fenoldopam	11/3 M
Corticosteroids, topical	2/1 M	Fentanyl	10/3 M
Co-trimoxazole	4/4 M	Fexofenadine	7/4 M, 10/3 M, 13/3 F
Creatinine clearance, prediction	1/10 L	Flavorings	2/9 M
Cromolyn	5/7 M	Fluconazole	1/2 L, 3/12 M
Crotamiton	1/8 M	Fluconazole/warfarin	2/5 L
Croup management	3/5 L	Fludarabine	10/3 M
Cyclosporine	1/4 M	Flunisolide	7/5 M
Cyclosporine, interactions	1/6 L, 2/4 L	Fluocinolone	2/1 M
Cyclosporine dynamics	5/10 L	Fluocinonide	2/1 M
Cyclosporine kinetics	2/3 L, 3/7 L, 12/4 L	Fluoxetine	2/10 M, 8/4 M, 10/3 M
Cyclosporine/norfloxacin	1/11 L	Flurandrenolide	2/1 M
Cystic fibrosis, drug metabolism	1/1 L, 5/2 L	Fluticasone	2/1 M, 7/5 M, 10/3 M, 13/3 F
Cystic fibrosis, ibuprofen in	5/5 L	Fluvastatin	8/9 M
Cystic fibrosis therapy	1/11 L, 2/5 L	Fluvoxamine	2/10 M
Cytochrome P450 enzymes	1/7 L, 3/5 M, 4/3 L, 6/2 L, 9/12 M, 13/10 M	Food and Drug Administration	1/11 M, 6/12 M, 8/1 M, 12/5 M, 12/9 L, 18/10 M
D		Fosamprenavir	18/7 M
Dalteparin	3/6 M	Fosinopril	10/3 M
Daptomycin	12/5 L	Furosemide	1/10 M, 4/3 L, 15/8 M
Darbepoetin	8/1 M	G	
Desensitization, antimicrobials	3/11 L	Gabapentin	4/5 L, 4/6 L, 7/6 L, 8/10 M
Desloratadine	11/3 M, 17/5 M	Ganciclovir	15/10 M, 17 C
Desonide	2/1 M, 13/3 F	Gastric acid suppression	11/5 L
Dexamethasone	2/1 M	G-CSF	1/1 L, 1/2 L, 6/11 L
Dexmedetomidine	12/1 M	Gentamicin	2/1 L, 4/1 L, 8/1 L
Dexmethylphenidate	8/1 M, 12/6 L	Gentamicin, neonatal dosing	1/7 L, 7/2 L, 9/7 L, 18/8 L
Dextroamphetamine	1/12 M, 8/1 M, 8/3 M, 13/3 F, 17/3 M	Gestational diabetes therapy	2/7 L
Diazepam	10/6 L, 12/5 M, 13/3 F	Glyburide/metformin	11/3 M
Digoxin interactions	1/4 L	Gloves, permeability	5/12 L
Dihydroergotamine (DHE)	13/7 M	Granisetron	3/9 M
Dilution of medications	1/8 L	Grapefruit juice/carbamazepine	4/11 L
Diphenhydramine	1/9 M	Group B Strep., therapy	3/8 L
Direct to consumer advertising	13/11 M	Growth hormone	3/7 L, 11/3 M
Diuretics	1/10 M	Guanfacine	13/1 L, 13/3 F, 3/11 M, 14/4 M, 17/3 M
Dornase alpha	1/1 L, 1/6 L, 2/3 L	H	
Dorzolamide	11/3 M	Halbetasol	2/1 M
Doxapram	8/1 M, 8/2 L	Halcinonide	2/1 M
Doxepin, breastfeeding with	5/9 L	Heparin	3/5 L, 17/9 M
Doxepin, toxicity with topical use	6/7 L	Heparin vs. saline in catheters	4/4 L
Doxycycline	9/10 M, 13/9 L	Hepatitis A vaccine	12/4 M
d-penicillamine, dosing	6/7 L	Herbal medicines	3/11 L, 4/5 M, 6/4 L, 12/4 L
DRESS syndrome	18/11 M	HIV, therapy in children	1/6 L
Droperidol	8/1 M	HMG-CoA reductase inhibitors	5/12 L, 8/9 M
Drug administration in ventilators	5/5 L	Human papillomavirus vaccine	12/9 L, 12/11 M, 13/3 F
Drug approval process, FDA	1/11 M	Hydrochlorothiazide	1/10 M
Drug information	8/9 L, 8/12 M	Hydrocortisone	2/1 M, 13/4 M
Drug interactions, renal	4/7 L	Hydromorphone	14/7 M
Drug labeling, pediatrics	3/9 F, 12/5 M, 18/6 L	Hydroxyurea, use in pregnancy	6/1 L
Drug-nutrient interactions	1/5 M	Hypercholesterolemia	3/6 L, 8/9 M
Drug reactions, idiosyncratic	2/10 L	Hypertension treatment	1/1 L, 6/5 L
Duloxetine	14/5 L	Hypertonic saline	13/10 L
Dyes and colorants	2/9 M	I	
E		Ibuprofen	2/7 M, 5/9 L, 6/4 M
Eculizumab	18/2 M	Ibuprofen lysine injection	12/5 M, 13/3 F
EMLA	2/1 M, 3/11 L	Ibuprofen overdose	1/10 L, 4/9 L

Ibuprofen, use in cystic fibrosis	5/5 L, 10/3 L	Methylphenidate	1/12 M, 3/10 L, 5/10 L, 6/2 L,
Idiosyncratic drug reactions	2/10 L		8/2 M, 9/10 L, 11/3 M, 12/5 M,
Idursulfase	13/3 F		12/8 L, 13/3 F, 14/3 M, 17/3 M
Ifosfamide metabolites	4/6 L	Methylphenidate abuse	9/8 L
Imipenem-cilastatin	2/2 L	Methylphenidate, halving tabs	3/11 L
Immune globulin, use in HIV	1/5 L	Methylphenidate tolerance	6/1 L
Indinavir nephrotoxicity	3/11 L	Metoclopramide	1/3 L, 4/5 L
Indomethacin	14/3 L	Metolazone	1/10 M
Infliximab	5/11 M, 7/9 L, 8/1 M, 11/3 M,	Midazolam	4/9 L, 6/1 M, 7/6 L, 8/1 L
	13/3 F, 13/8 M, 13/9 L	Midazolam clearance	2/2 L
Influenza treatment	12/4 L	Midazolam compatibility	1/12 L
Influenza vaccine	10/8 M	Midazolam, intranasal	2/5 L
Insulin	10/6 L, 13/5 L, 13/11 M	Midazolam, use in neonates	1/2 L
Insulin, inhaled	12/5 M	Milk:Plasma ratio	2/4 M
Internet, as information source	5/6 M, 5/12 L	Milrinone	9/2 M
Intraosseous drug administration	12/12 M	Mineral supplements	3/2 M
Irinotecan	11/3 M	Minocycline-induced lupus	3/11 L
Iron sucrose	11/12 L	Mirtazapine	6/2 M
Isoniazid	1/2 L, 3/11 L	Modafinil	12/5 M
Isotretinoin	7/7 M, 8/1 M, 12/5 M	Mometasone	2/1 M, 5/12 M, 7/5 M
Isradipine	3/7 L, 8/8 L	Montelukast	4/10 M, 7/9 L, 12/8 L, 14/5 L
Itraconazole/clarithromycin	5/12 L	Moricizine	1/12 L, 12/9 L
Ivacaftor	18/4 M	Morphine	1/1 L
Ivermectin	18/6 M	Moxifloxacin	10/3 M
J		Muromonab-CD3, anaphylaxis	6/2 L
Juvenile rheumatoid arthritis	5/12 L	Mycophenolate	4/1 L, 4/8 M
K		N	
Kawasaki syndrome therapy	5/12 L, 18/8 L	Nalmefene dosing/kinetics	6/9 L
Kernicterus prevention	4/7 L	Naloxone	2/12 M, 8/8 M, 9/11 L
Ketamine	11/10 L	Naratriptan	7/5 L
Ketogenic diet	4/4 L	Nedocromil	5/7 M
Ketoprofen	9/12 M	Nelfinavir	11/3 M
Ketorolac	3/6 L, 5/7 L, 17/8 M	Nephrotic syndrome, treatment	9/8 L
L		Nesiritide	12/5 L, 12/8 M
Lacosamide	17/7 M	Nicardipine	9/7 L
Lamivudine	8/1 M	Nicotine, breastmilk	10/3 L
Lamotrigine	1/3 L, 1/12 L, 3/8 L, 5/3 M,	Nitric oxide	7/4 L
	5/7 L, 13/3 F, 13/11 M	Nitrofurantoin, breastmilk	7/7 L
Lansoprazole	5/4 M, 8/7 L, 11/3 M	Nizatidine	8/12 L, 11/3 M
Leflunomide	11/3 M	Non-prescription medications	1/5 L
Levalbuterol, assessment	5/3 L	Non-steroidal anti-inflammatory	1/6 L, 11/3 M, 12/6 L
Levetiracetam	8/7 M, 14/5 L, 18/12 M	drugs (NSAIDs)	
Levodopamine	16/6 M	Norfloxacin/cyclosporine	1/11 L
Levothyroxine	14/10 M, 14/12 C	O	
Lice, treatment	1/8 M, 18/6 M	Obesity, therapy	3/11 L, 13/9 L
Lindane	1/8 M	Octreotide	9/7 L, 10/10 M
Linezolid	9/6 M, 9/12 M	Olanzapine	7/8 M
Lisdexamfetamine	13/3 F, 14/3 M, 17/3 M	Omalizumab	10/9 L, 13/3 F, 13/6 M
Lisinopril	10/3 M	Omeprazole	5/4 M, 9/12 M, 10/2 L
Loracarbef	2/6 M	Ondansetron	1/2 L, 1/11 L, 3/9 M, 18/10 M
Loratadine	1/9 M, 7/4 M, 13/3 F, 17/5 M	Ophthalmic anesthetics	11/5 L
Losartan	11/3 M	Opioids, toxicity	2/3 L, 18/10 M
Lovastatin	8/9 M	Opioids, tolerance and depend.	6/7 M
Low-molecular-weight heparins	3/6 M	Oral contraceptives	1/3 L
M		Orlistat	10/3 M
Macrolides	1/9 L, 2/2 M, 3/4 L, 5/2 L	Oseltamivir	6/12 F, 7/2 M, 11/3 M, 18/9 M
Magnesium, use in asthma	5/7 L	Otitis media therapy	4/10 L, 7/3 L, 12/11 L
Malathion	1/8 M	Over-the-counter rec.	4/9 L
Measles vaccine review	5/2 L, 7/3 M	Oxcarbazepine	7/11 M, 9/12 M, 18/11 M
Measles, mumps, rubella, and	11/12 M	Oxybutynin	10/3 M
varicella vaccine		Oxycodone	10/7 L, 12/6 L
Medication errors, prevention	1/1 L, 5/10 M, 10/8 L,	P	
	11/12 L, 12/6 L, 14/11 M,	Pain management	2/3 L, 2/6 L
	14/12 M	Palivizumab	4/9 M, 6/2 L, 10/9 M
Medication taste, compliance	3/11 L	Pamidronate	10/3 L
MedWatch	1/3 M, 1/8 L	Parenteral nutrition	1/3 L, 5/12 L, 8/4 L
Melatonin	9/11 M	Paricalcitol	11/3 M
Meningococcal conjugate vaccine	11/5 M, 12/11 L, 17/10 M	Paroxetine	2/10 M
Meningococcal C,Y-Haemophilis	18/8 M	Paroxetine/atomoxetine	8/12 L
b conjugate vaccine		Patient-controlled analgesia	6/11 M
Menstrual cycle, metabolism	4/6 L	Patient education	3/8 M
Meropenem	3/10 L, 4/7 M	Pediatric pharmacology library	1/6 M
Metered-dose inhalers, changes	4/3 L	Pemoline	1/8 L, 1/12 M, 4/5 L, 8/4 M
Metformin	7/2 L, 10/7 M	Perampanel	18/12 M
Methadone	6/7 M, 8/1 L, 13/3 F	Permethrin	1/8 M
Methemoglobinemia	2/8 L	PGE ₁	6/9 M
Methotrexate kinetics	1/4 L	Pharmacokinetics, methodology	8/12 L, 15/3 M, 18/8 L

Phenobarbital	3/10 L, 5/6 L, 18/12 M	Sodium bicarbonate	2/12 M, 16/7 M
Phenothiazines review	5/10 L	Sodium ferric gluconate	11/3 M
Phenytoin	2/8 M, 4/4 L, 7/5 L, 11/6 M, 18/11 M	Sodium phosphate, oral	12/5 M
Phenytoin/enteral feedings	6/9 L	Somatotropin	11/3 M
Phosphate overdose	3/12 L	Sotalol	7/3 L, 7/4 L
Photosensitivity, drug-induced	4/6 M	Spinosad	18/6 M
Pimecrolimus	8/1 M, 8/5 M, 11/3 M, 12/5 M, 13/9 L	Spirolactone	1/10 M, 10/1 M
Placebo response	2/11 L, 18/3 M, 18/7 C	Splitting tablets	3/11 L, 4/3 L
Placental drug transfer	1/4 L, 2/1 L	Stevens-Johnson syndrome	4/11 M
Plasmapheresis, drug removal	13/11 M	Sucrose, oral	11/6 L
Pneumococcal vaccine	5/12 M, 6/8 M, 7/3 M, 11/5 L	Sufentanil	2/5 L, 8/1 M
Pneumonia, treatment	11/8 L	Sulfamethoxazole-trimethoprim	4/4 M
Poison prevention	1/3 M, 2/3 M, 4/3 M	Sumatriptan	9/12 M, 11/3 M
Polio vaccine	3/7 M, 7/3 M, 10/6 M	Supraventricular tachycardia	4/6 L
Polyethylene glycol	2/9 M	Surfactants	2/3 L, 4/9 L, 10/3 L
Portactant	5/12 M	Sweeteners	2/9 M
Pravastatin	8/9 M, 9/9 L	T	
Pregnancy, drugs in	3/11 L, 5/5 L, 6/1 L, 6/4 L, 6/12 F, 16/1 M	Tacrolimus	4/2 L, 4/10 L, 7/3 L, 9/5 M
Preservatives	2/9 M, 4/3 L	Tacrolimus/enteral feedings	4/8 L
Prolonged QT, drug-induced	11/10 M, 18/10 M	Tacrolimus, topical	8/5 M, 11/3 M, 12/5 M, 13/9 L
Promethazine	9/8 L, 11/3 M, 12/5 M, 13/3 F, 16/3 M	Taste, effect on compliance	3/11 L
Propafenone, during CVVH	5/10 L	Temozolomide	10/3 M
Propofol	6/5 M	Terbinafine	12/7 M
Propranolol	16/8 M	Terfenadine	1/5 L, 1/9 M
Propylene glycol	2/9 M	Tetanus, diphtheria, acellular pertussis booster vaccine	11/7 M
Protease inhibitors	7/3 L	Theophylline dosing	1/4 L, 1/5 L, 1/9 L
Proton pump inhibitors	5/4 M	Therapeutic drug monitoring	1/7 M
Psychiatric disorders, therapy	2/6 L	Therapeutic equivalence	2/12 L
Psychotropic use, predicting	1/12 L	Thimerosal	7/3 M
Pyrazinamide	8/8 L	Thrombocytopenia, drug-induced	16/11 M
Pyrethrins	1/8 M	Ticarcillin/clavulanic acid	1/9 L
Q		Tobramycin	2/5 L, 14/9 L
Quetiapine	7/8 M	Tobramycin, lung transplant	4/6 L
Quinapril	9/12 M	Tobramycin pharmacokinetics	3/11 L, 10/6 L
Quinine	5/6 L	Tolterodine	11/3 M
R		Topiramate	4/5 L, 5/12 M, 7/6 M, 7/11 L, 8/1 M, 9/12 M, 18/12 M
Raltegravir	18/1 M	Toxic epidermal necrolysis	4/11 M
Rasburicase	12/9 L	Triamcinolone	2/1 M, 7/5 M
Remifentanyl	11/3 M, 11/12 L, 12/9 L	Trihexyphenidyl	17/6 M
Renal drug interactions	4/7 L	Trimethoprim-sulfamethoxazole	4/4 M
Respiratory syncytial virus (RSV)	3/10 M, 4/2 L, 4/9 M	Type 2 diabetes treatment	11/7 L
Retapamulin	13/9 M	U	
RSV immune globulin	3/10 M, 4/9 M, 6/2 L	Urosdeoxycholic acid (ursodiol)	3/11 L, 15/2 M
Reye's syndrome	8/8 L, 13/2 M	V	
Ribavirin	3/10 M	Vaccines	1/3 M, 3/7 M, 7/3 M, 10/5 M
Rifampin	10/11 M, 12/11 L	Vaccines, adolescents	9/8 M
Risk Management (REMS)	17/2 M, 18/10 M	Vaccines, storage	1/6 M
Risperidone	2/5 L, 7/8 M, 13/3 F, 13/5 L, 13/6 L, 14/1 M	Valacyclovir	8/6 M
Rocuronium	6/10 M	Valganciclovir	15/10 M
Rotavirus vaccine	5/2 M, 6/12 F, 12/9 M, 13/3 F	Valproic acid	1/12 L, 3/3 M, 5/7 L, 13/6 L
Rufinamide	15/4 M, 18/12 M	Vancomycin	1/2 M, 3/8 L, 3/9 L, 5/12 L, 12/5 L, 17/6 L
S		Vancomycin, neonatal kinetics	3/11 L, 7/9 L, 10/6 L
<i>Saccharomyces boulardii</i>	15/7 M	Vancomycin resistance	1/2 M
Salmeterol	1/1 F, 12/5 M	Varicella vaccine	1/2 F
Saquinavir	8/5 L, 11/3 M	Vasopressin	9/9 M
Scabies treatment	1/8 M, 2/8 L	Vecuronium	5/9 M
Scientific bias	3/9 L	Venlafaxine	11/3 M
Sedatives	4/10 L	Vigabatrin	15/12 M
Sedatives, kinetics in neonates	3/3 L	Vitamin D	15/5 M, 15/6 M
Selective 5HT ₃ reuptake inhibitors	2/10 M	Vitamin K	1/4 L, 7/10 M
Self-medication, adolescents	13/5 M	Vitamin supplements	3/4 M
Serotonin syndrome	12/3 M	W	
Sertraline	2/10 M	Warfarin	1/1 M, 6/12 L
Sertraline/erythromycin	5/9 L	Warfarin/fluconazole	2/5 L
Serum sickness, cross-sensitivity	4/7 L	X-Z	
Sevelamer	12/5 L	Zafirlukast	5/12 M
Sildenafil	10/2 M, 12/4 L, 18/10 M	Zidovudine	4/1 L, 9/12 M
Simvastatin	8/9 M	Zidovudine, kinetics in infants	5/9 L
Sinusitis, therapy review	6/7 L	Zidovudine, pregnancy	1/8 L
Sirolimus	12/2 M	Zinc, common cold	4/2 L
Skin reactions, drug-induced	1/9 L, 4/11 M	Ziprasidone	7/8 M
Smoking cessation	1/3 L	Zolmitriptan	11/3 M
		Zolpidem	14/7 L
		Zonisamide	11/11 M