

# PEDIATRIC PHARMACOTHERAPY



Volume 21 Number 1

January 2015

## Cumulative Index

(Volume/issue and citation type: M= main feature; L= lit. review; F= FDA update; C= correction)

<b>A</b>			Antibiotics	2/4 L, 4/7 L, 5/7 L
Abacavir		11/5 L	Antibiotics, use in infants	5/11 L
Acellular pertussis vaccine	3/2 L, 3/7 M, 3/9 L,	11/8 L	Anticonvulsants, kinetics	1/12 L, 2/1 L
Acetaminophen	1/6 L, 2/7 M, 6/3 L,	13/11 M	Anticonvulsants review	2/11 L, 4/4 L, 6/10 L,
Acetaminophen, intravenous		17/4 M	Antidepressants, suicidal ideation	8/6 L, 12/11 L, 18/12 M
Acetaminophen overdose	6/3 M, 12/4 L		Antiemetic guidelines	5/6 L, 6/11 L
Acetaminophen, rectal	5/12 L, 7/9 M		Antifungals review	3/4 L, 10/6 L
Aclometasone		2/1 M	Antihistamines	1/9 M, 7/3 L, 7/4 M
Acyclovir		8/6 M	Antineoplastics, endocrine effect	3/2 L
Adalimumab		13/8 M	Antipyretics	2/7 M, 5/8 L, 10/3 M
Adenosine		14/8 M	Antiretrovirals	10/4 L, 11/12 L
Adverse drug reactions	1/3 M, 2/10 L, 2/11 L,	4/11 L, 17/6 L	Antithrombin	19/2 M
Albuterol	2/5 M, 8/1 L, 14/5 L		Aprotinin	12/5 L
Alglucosidase alfa	12/5 M, 13/3 F, 13/11 M		Ardeparin	3/6 M
Almotriptan		15/11 M	Aripiprazole	10/12 M
Alprostadil (PGE <sub>1</sub> )		6/9 M	Arrhythmias, drug-induced	3/11 L
Alteplase		5/6 L, 5/8 M	Artemether-Lumefantrine	16/10 M
Alternative therapies	4/5 M, 12/4 L		Aspirin	13/2 M
Ambrisentan		19/6 M	Astemizole	1/9 M
Amcinonide		2/1 M	Asthma	1/1 L, 1/8 L, 5/7 L,
Amiloride kinetics	3/5 L, 9/2 L			12/11 L
Aminocaproic acid		12/10 M	Atenolol, use in Marfan syndrome	1/5 L
Aminoglycosides in transplant		3/11 L	Atomoxetine	8/1 M, 8/4 M, 9/4 M,
Aminoglycosides/vancomycin		12/5 L		10/2 L, 10/9 L, 11/3 M,
Amiodarone		7/12 M	Atomoxetine drug interactions	11/6 L, 11/7 L, 20/8 M
Amlodipine	9/7 M, 10/3 M		Atorvastatin	8/9 M
Amoxicillin adverse effects		5/3 L	Atovaquone/proguanil	10/3 M
Amphetamine		11/3 M	Atropine	2/12 M, 16/7 M, 20/5 M
Amphotericin		13/11 M	Attention-deficit/hyperactivity disorder (ADHD) therapy	1/12 M, 4/10 L, 8/1 L,
Ampicillin, oral in neonates		4/1 L		8/2 M,
Ampicillin-clavulanate		8/1 L	Atypical antipsychotics	7/8 M, 10/7 L, 11/3 M
Anagrelide		11/3 M	Autism therapy	1/2 L, 14/1 M
Analgesics, dosing		4/2 L	Autonomic-Mediated Orthostasis	20/4 M
Anesthetics	4/11 L, 12/8 L		Azithromycin	2/2 M, 3/11 L, 4/9 L,
Angiotensin converting enzyme (ACE) inhibitors		2/2 L		8/1 L, 11/4 M
Anidulafungin	12/5 M, 17/6 L		<b>B</b>	
Antiarrhythmics, use in pregnancy		5/5 L	Balsalazide	13/3 F
Antibiotics, allergies		1/12 L		

Beclomethasone	7/5 M	Clobazam	17/12 M
Benazepril	11/3 M	Clobetasol	2/1 M
Benzalkonium chloride	2/9 M	Clofarabine	11/3 M
Benzyl alcohol	2/9 M, 18/6 M	Clonazepam, kinetics	2/3 L
Betamethasone	2/1 M, 3/11 L	Clonidine	1/12 M, 6/2 L, 8/4 M, 13/11 M, 19/11 M
Bioterrorism, treatment	12/8 L, 12/9 C	Clopidogrel	16/5 M
Bivalirudin	20/12 M	<i>Clostridium difficile</i>	6/6 M
Black box warnings	8/12 M	Clozapine	7/8 M, 9/12 M
Bosentan	9/7 L, 9/12 M, 12/5 M, 17/11 M, 19/6 M	Codeine	10/4 M, 13/10 M, 18/6 L, 18/10 M
Botulinum toxin	9/3 M	Compliance	1/4 L, 3/8 M, 3/11 L, 5/11 L, 7/2 L, 8/1 L
Breastfeeding, drugs given during	1/12 L, 12/8 L, 13/9L	Conscious sedation	2/3 L
Brompheniramine	1/9 M	Corticosteroids, inhaled	9/7 L, 12/11 L
Budesonide	4/10 L, 7/3 L, 7/5 M, 7/9 C, 8/1 M, 10/3 M, 10/8 L, 13/3 F	Corticosteroids, intranasal	7/5 M
Bumetanide	1/10 M	Corticosteroids, topical	2/1 M
Buprenorphine withdrawal	4/2 L	Co-trimoxazole	4/4 M
Bupropion	8/4 M, 12/6 L	Cough and cold products	20/11 M
Buspirone	8/1 L, 8/4 M, 12/6 L	Creatinine clearance, prediction	1/10 L
Busulfan	10/3 M, 12/6 L	Cromolyn	5/7 M
<b>C</b>		Crotamiton	1/8 M
Caffeine	1/3 L, 5/12 M, 14/6 M	Croup management	3/5 L
Caffeine, kinetics	3/8 L, 7/7 L	Cyclosporine	1/4 M
Calcium chloride	2/12 M, 16/7 M	Cyclosporine dynamics	5/10 L
Carbamazepine	2/11 M, 5/7 L, 18/11 M	Cyclosporine, interactions	1/6 L, 2/4 L
Carbamazepine interactions	1/6 L, 2/10 L, 4/11 L	Cyclosporine kinetics	2/3 L, 3/7 L, 12/4 L
Carvedilol	11/2 M	Cyclosporine/norfloxacin	1/11 L
Casposungin	11/8 M, 13/5 L	Cystic fibrosis, drug metabolism	1/1 L, 5/2 L
Cefaclor	2/6 M	Cystic fibrosis, ibuprofen in	5/5 L
Cefadroxil	2/6 M	Cystic fibrosis therapy	1/11 L, 2/5 L
Cefdinir	20/9 M	Cytochrome P450 enzymes	1/7 L, 3/5 M, 4/3 L, 6/2 L, 9/12 M, 13/10 M
Cefepime	1/8 L, 3/2 L, 5/5 M, 13/7 L, 18/10 M	<b>D</b>	
Cefixime	2/6 M	Dalteparin	3/6 M
Cefpodoxime	2/6 M	Daptomycin	12/5 L, 19/4 M
Cefprozil	2/6 M	Darbepoetin	8/1 M
Ceftazidime	1/4 L, 2/2 L	Desensitization, antimicrobials	3/11 L
Ceftibuten	2/6 M, 3/11 L	Desloratadine	11/3 M, 17/5 M
Ceftriaxone	3/2 M, 8/7 L	Desonide	2/1 M, 13/3 F
Cefuroxime axetil	2/6 M, 2/7 L	Dexamethasone	2/1 M
Cefuroxime, during pregnancy	6/4 L	Dexmedetomidine	12/1 M, 19/8 M
Celecoxib	8/12 L, 13/3 F	Dexmethylphenidate	8/1 M, 12/6 L
Cephalexin	2/6 M	Dextroamphetamine	1/12 M, 8/1 M, 8/3 M, 13/3 F, 17/3 M
Cephradine	2/6 M	Diazepam	10/6 L, 12/5 M, 13/3 F, 19/10 M
Cetirizine	3/4 L, 7/4 M, 16/6 M	Digoxin interactions	1/4 L
Chloral hydrate	11/9 M	Dihydroergotamine (DHE)	13/7 M
Chlorothiazide	1/10 M	Dilution of medications	1/8 L
Chlorpheniramine	1/9 M	Diphenhydramine	1/9 M
Ciclesonide	13/3 F, 18/5 M	Direct to consumer advertising	13/11 M
Ciprofloxacin	4/12 M, 11/3 M	Diuretics	1/10 M
Cisapride interactions	2/11 M, 9/10 L, 9/12 M	Dornase alpha	1/1 L, 1/6 L, 2/3 L
Cisatracurium	19/9 M	Dorzolamide	11/3 M
Cisplatin	12/6 L	Doxapram	8/1 M, 8/2 L
Clarithromycin	2/2 M, 6/1 L, 18/10 M	Doxepin, breastfeeding with	5/9 L
Clarithromycin/itraconazole	5/12 L		
Clemastine	1/9 M		
Clevidipine	17/8 L		
Clindamycin	14/2 M		

Doxepin, toxicity with topical use	6/7 L		13/3 F
Doxycycline	9/10 M, 13/9L	Fluvastatin	8/9 M
d-penicillamine, dosing	6/7 L	Fluvoxamine	2/10 M
DRESS syndrome	18/11 M	Food and Drug Administration	1/11 M, 6/12 M, 8/1 M, 12/5 M, 12/9 L, 18/10 M
Droperidol	8/1 M	Fosamprenavir	18/7 M
Drug administration in ventilators	5/5 L	Fosinopril	10/3 M
Drug approval process, FDA	1/11 M	Furosemide	1/10 M, 4/3 L, 15/8 M
Drug information	8/9 L, 8/12 M	<b>G</b>	
Drug interactions, renal	4/7 L	Gabapentin	4/5 L, 4/6 L, 7/6 L, 8/10 M
Drug labeling, pediatrics	3/9 F, 12/5 M, 18/6 L	Ganciclovir	15/10 M, 17 C
Drug-nutrient interactions	1/5 M	Gastric acid suppression	11/5 L
Drug reactions, idiosyncratic	2/10 L	G-CSF	1/1 L, 1/2 L, 6/11 L
Duloxetine	14/5 L	Gentamicin	2/1 L, 4/1 L, 8/1 L
Dyes and colorants	2/9 M	Gentamicin, neonatal dosing	1/7 L, 7/2 L, 9/7 L, 18/8 L
<b>E</b>		Gestational diabetes therapy	2/7 L
Ecallantide	20/6 M	Glyburide/metformin	11/3 M
Ecilizumab	18/2 M	Gloves, permeability	5/12 L
Edivoxetine	20/8 M	Granisetron	3/9 M
Elosulfase alfa	20/6 M	Grapefruit juice/carbamazepine	4/11 L
EMLA	2/1 M, 3/11 L	Group B Strep., therapy	3/8 L
Enalapril	8/10 L	Growth hormone	3/7 L, 11/3 M
Enoxaparin	3/6 M, 7/2 L, 11/12 L, 13/11 M, 17/9 M	Guanfacine	13/1 L, 13/3 F, 3/11 M, 14/4 M, 17/3 M, 20/8 M
Epinephrine	2/12 M, 14/5 M, 16/7 M	<b>H</b>	
Eplerenone	10/1 M	Halbetasol	2/1 M
Epoetin	1/3 L, 5/12 M, 6/7 L, 6/11 L, 8/11 M, 10/2 L	Halcinonide	2/1 M
Escitalopram	15/9 M	Heparin	3/5 L, 17/9 M
Ertapenem	12/6 M	Heparin vs. saline in catheters	4/4 L
Erythema multiforme	4/11 M	Hepatitis A vaccine	12/4 M
Erythromycin	2/2 M, 5/9 L, 16/4 M	Herbal medicines	3/11 L, 4/5 M, 6/4 L, 12/4 L
Etanercept	11/5 L, 13/8 M	HIV, therapy in children	1/6 L
Ethanol	2/9 M	HMG-CoA reductase inhibitors	5/12 L, 8/9 M
Etomidate	14/9 M	Human papillomavirus vaccine	12/9 L, 12/11 M, 13/3 F
Etoposide, kinetics/dynamics	1/9 L	Hydrochlorothiazide	1/10 M
Everolimus	20/2 M	Hydrocortisone	2/1 M, 13/4 M
Excipients, pharmaceutical	2/9 M	Hydromorphone	14/7 M
Extended release oral liquids	19/3 M	Hydroxyurea, use in pregnancy	6/1 L
Extravasations, IV	4/1 M	Hypercholesterolemia	3/6 L, 8/9 M
<b>F</b>		Hypertension treatment	1/1 L, 6/5 L
Famotidine	2/3 L, 2/9 L, 4/2 M, 9/6 L	Hypertonic saline	13/10 L
Felbamate	5/11 L	<b>I</b>	
Fenoldopam	11/3 M	Ibuprofen	2/7 M, 5/9 L, 6/4 M
Fentanyl	10/3 M, 19/8 M	Ibuprofen lysine injection	12/5 M, 13/3 F
Fexofenadine	7/4 M, 10/3 M, 13/3 F	Ibuprofen overdose	1/10 L, 4/9 L
Flavorings	2/9 M	Ibuprofen, use in cystic fibrosis	5/5 L, 10/3 L
Fluconazole	1/2 L, 3/12 M	Idiosyncratic drug reactions	2/10 L
Fluconazole/warfarin	2/5 L	Idursulfase	13/3 F
Fludarabine	10/3 M	Ifosfamide metabolites	4/6 L
Fludrocortisone	20/4 M	Iloprost	19/6 M
Flunisolide	7/5 M	Imipenem-cilastatin	2/2 L
Fluocinolone	2/1 M	Immune globulin, use in	1/5 L
Fluocinonide	2/1 M		
Fluoxetine	2/10 M, 8/4 M, 10/3 M		
Flurandrenolide	2/1 M		
Fluticasone	2/1 M, 7/5 M, 10/3 M,		

<b>HIV</b>		<b>M</b>	
Indinavir nephrotoxicity	3/11 L	Macrolides	1/9 L, 2/2 M, 3/4 L, 5/2 L
Indomethacin	14/3 L	Magnesium, use in asthma	5/7 L
Infliximab	5/11 M, 7/9 L, 8/1 M, 11/3 M, 13/3 F, 13/8 M, 13/9 L	Malathion	1/8 M
Influenza treatment	12/4 L	Measles vaccine review	5/2 L, 7/3 M
Influenza vaccine	10/8 M	Measles, mumps, rubella, and varicella vaccine	11/12 M
Insulin	10/6 L, 13/5 L, 13/11 M	Medication errors, prevention	1/1 L, 5/10 M, 10/8 L, 11/12 L, 12/6 L, 14/11 M, 14/12 M
Insulin, inhaled	12/5 M	Medication taste, compliance	3/11 L
Internet, as information source	5/6 M, 5/12 L	MedWatch	1/3 M, 1/8 L
Intranasal benzodiazepines	12/10 M	Melatonin	9/11 M
Intranasal sedation	19/8 M	Meningococcal conjugate vaccine (quadrivalent)	11/5 M, 12/11 L, 17/10 M
Intraosseous drug administration	12/12 M	Meningococcal serogroup B vaccine	20/7 M
Irinotecan	11/3 M	Meningococcal C,Y- Haemophilis b conjugate vaccine	18/8 M
Iron sucrose	11/12 L	Menstrual cycle, metabolism	4/6 L
Isoniazid	1/2 L, 3/11 L	Mercaptopurine	20/6 M
Isotretinoin	7/7 M, 8/1 M, 12/5 M	Meropenem	3/10 L, 4/7 M
Isradipine	3/7 L, 8/8 L	Metered-dose inhalers, changes	4/3 L
Itraconazole/clarithromycin	5/12 L	Metformin	7/2 L, 10/7 M
Ivacaftor	18/4 M	Methadone	6/7 M, 8/1 L, 13/3 F
Ivermectin	18/6 M	Methemoglobinemia	2/8 L
<b>J</b>		Methotrexate kinetics	1/4 L
Juvenile rheumatoid arthritis	5/12 L	Methylalantrexone	20/3 M
<b>K</b>		Methylphenidate	1/12 M, 3/10 L, 5/10 L, 6/2 L, 8/2 M, 9/10 L, 11/3 M, 12/5 M, 12/8 L, 13/3 F, 14/3 M, 17/3 M, 20/8 M
Kawasaki syndrome therapy	5/12 L, 18/8 L	Methylphenidate abuse	9/8 L
Kernicterus prevention	4/7 L	Methylphenidate, halving tabs	3/11 L
Ketamine	11/10 L, 19/8 M	Methylphenidate tolerance	6/1 L
Ketogenic diet	4/4 L	Metoclopramide	1/3 L, 4/5 L
Ketoprofen	9/12 M	Metolazone	1/10 M
Ketorolac	3/6 L, 5/7 L, 17/8 M	Metoprolol	20/4 M
<b>L</b>		Metreleptin	20/6 M
Lacosamide	17/7 M	Micafungin	20/1 M
Lamivudine	8/1 M	Midazolam	4/9 L, 6/1 M, 7/6 L, 8/1 L
Lamotrigine	1/3 L, 1/12 L, 3/8 L, 5/3 M, 5/7 L, 13/3 F, 13/11 M	Midazolam clearance	2/2 L
Lansoprazole	5/4 M, 8/7 L, 11/3 M	Midazolam compatibility	1/12 L
Leflunomide	11/3 M	Midazolam, intranasal	2/5 L, 19/8 M, 19/10 M
Levalbuterol, assessment	5/3 L	Midazolam, use in neonates	1/2 L
Levetiracetam	8/7 M, 14/5 L, 18/12 M	Midodrine	20/4 M
Levocetirizine	16/6 M	Milk:Plasma ratio	2/4 M
Levothyroxine	14/10 M, 14/12 C	Milrinone	9/2 M
Lice, treatment	1/8 M, 18/6 M	Miltefosine	20/6 M
Lidocaine	19/12 M	Mineral supplements	3/2 M
Lindane	1/8 M	Minocycline-induced lupus	3/11 L
Linezolid	9/6 M, 9/12 M	Mirtazapine	6/2 M
Lisdexamfetamine	13/3 F, 14/3 M, 17/3 M, 20/8 M	Modafinil	12/5 M
Lisinopril	10/3 M	Mometasone	2/1 M, 5/12 M, 7/5 M
Loracarbef	2/6 M	Montelukast	4/10 M, 7/9 L, 12/8 L, 14/5 L
Loratadine	1/9 M, 7/4 M, 13/3 F, 17/5 M		
Lorazepam	19/10 M		
Losartan	11/3 M		
Lovastatin	8/9 M		
Low-molecular-weight heparins	3/6 M		

Moricizine	1/12 L, 12/9 L	library	
Morphine	1/1 L	Pemoline	1/8 L, 1/12 M, 4/5 L, 8/4 M
Moxifloxacin	10/3 M	Perampanel	18/12 M
Muromonab-CD3, anaphylaxis	6/2 L	Permethrin	1/8 M
Mycophenolate	4/1 L, 4/8 M	PGE <sub>1</sub>	6/9 M
<b>N</b>		Pharmacokinetics, methodology	8/12 L, 15/3 M, 18/8 L
Nalmefene dosing/kinetics	6/9 L	Phenobarbital	3/10 L, 5/6 L, 18/12 M
Naloxone	2/12 M, 8/8 M, 9/11 L	Phenothiazines review	5/10 L
Naratriptan	7/5 L	Phenytoin	2/8 M, 4/4 L, 7/5 L, 11/6 M, 18/11 M
Nedocromil	5/7 M	Phenytoin/enteral feedings	6/9 L
Nelfinavir	11/3 M	Phosphate overdose	3/12 L
Nephrotic syndrome, treatment	9/8 L	Photosensitivity, drug- induced	4/6 M
Nesiritide	12/5 L, 12/8 M	Pimecrolimus	8/1 M, 8/5 M, 11/3 M, 12/5 M, 13/9 L
Nicardipine	9/7 L	Placebo response	2/11 L, 18/3 M, 18/7 C
Nicotine, breastmilk	10/3 L	Placental drug transfer	1/4 L, 2/1 L
Nitric oxide	7/4 L	Plasmapheresis, drug removal	13/11 M
Nitrofurantoin, breastmilk	7/7 L	Pneumococcal vaccine	5/12 M, 6/8 M, 7/3 M, 11/5 L
Nizatidine	8/12 L, 11/3 M	Pneumonia, treatment	11/8 L
Non-prescription medications	1/5 L	Poison prevention	1/3 M, 2/3 M, 4/3 M
Non-steroidal anti- inflammatory drugs (NSAIDs)	1/6 L, 11/3 M, 12/6 L	Polio vaccine	3/7 M, 7/3 M, 10/6 M
Norfloxacin/cyclosporine	1/11 L	Polyethylene glycol	2/9 M
<b>O</b>		Portactant	5/12 M
Obesity, therapy	3/11 L, 13/9 L	Pravastatin	8/9 M, 9/9 L
Octreotide	9/7 L, 10/10 M	Pregnancy, drugs in	3/11 L, 5/5 L, 6/1 L, 6/4 L, 6/12 F, 16/1 M
Olanzapine	7/8 M	Preservatives	2/9 M, 4/3 L
Omalizumab	10/9 L, 13/3 F, 13/6 M, 20/6 M	Prolonged QT, drug- induced	11/10 M, 18/10 M
Omeprazole	5/4 M, 9/12 M, 10/2 L	Promethazine	9/8 L, 11/3 M, 12/5 M, 13/3 F, 16/3 M
Ondansetron	1/2 L, 1/11 L, 3/9 M, 18/10 M	Propafenone, during CVVH	5/10 L
Ophthalmic anesthetics	11/5 L	Propofol	6/5 M
Opioids, tolerance and depend.	6/7 M	Propranolol	16/8 M, 20/4 M, 20/6 M
Opioids, toxicity	2/3 L, 18/10 M	Propylene glycol	2/9 M
Oral contraceptives	1/3 L	Protease inhibitors	7/3 L
Orally Disintegrating Tablets	19/3 M	Proton pump inhibitors	5/4 M
Orlistat	10/3 M	Psychiatric disorders, therapy	2/6 L
Orodispersible films	19/3 M	Psychotropic use, predicting	1/12 L
Oseltamivir	6/12 F, 7/2 M, 11/3 M, 18/9 M	Pyrazinamide	8/8 L
Otitis media therapy	4/10 L, 7/3 L, 12/11 L	Pyrethrins	1/8 M
Over-the-counter drugs.	4/9 L, 20/11 M	<b>Q</b>	
Oxcarbazepine	7/11 M, 9/12 M, 18/11 M	Quetiapine	7/8 M
Oxybutynin	10/3 M	Quinapril	9/12 M
Oxycodone	10/7 L, 12/6 L	Quinine	5/6 L
<b>P</b>		<b>R</b>	
Pain management	2/3 L, 2/6 L	Raltegravir	18/1 M
Palivizumab	4/9 M, 6/2 L, 10/9 M	Rasburicase	12/9 L
Pamidronate	10/3 L	Recombinant Factor IX	20/6 M
Parenteral nutrition	1/3 L, 5/12 L, 8/4 L	Remifentanyl	11/3 M, 11/12 L, 12/9 L, 19/5 M
Paricalcitol	11/3 M	Renal drug interactions	4/7 L
Paroxetine	2/10 M		
Paroxetine/atomoxetine	8/12 L		
Patient-controlled analgesia	6/11 M		
Patient education	3/8 M		
Pediatric pharmacology	1/6 M		

Respiratory syncytial virus (RSV)	3/10 M, 4/2 L, 4/9 M	Tacrolimus	4/2 L, 4/10 L, 7/3 L, 9/5 M
RSV immune globulin	3/10 M, 4/9 M, 6/2 L	Tacrolimus/enteral feedings	4/8 L
Retapamulin	13/9 M	Tacrolimus, topical	8/5 M, 11/3 M, 12/5 M, 13/9 L
Reye's syndrome	8/8 L, 13/2 M	Tadalafil	19/6 M
Ribavirin	3/10 M	Taste, effect on compliance	3/11 L
Rifampin	10/11 M, 12/11 L	Temozolomide	10/3 M
Risk Management (REMS)	17/2 M, 18/10 M	Terbinafine	12/7 M
Risperidone	2/5 L, 7/8 M, 13/3 F, 13/5 L, 13/6 L, 14/1 M	Terfenadine	1/5 L, 1/9 M
Rocuronium	6/10 M	Tetanus, diphtheria, acellular pertussis booster vaccine	11/7 M
Rotavirus vaccine	5/2 M, 6/12 F, 12/9 M, 13/3 F	Theophylline dosing	1/4 L, 1/5 L, 1/9 L
Rufinamide	15/4 M, 18/12 M	Therapeutic drug monitoring	1/7 M
<b>S</b>		Therapeutic equivalence	2/12 L
<i>Saccharomyces boulardii</i>	15/7 M	Thimerosal	7/3 M
Salmeterol	1/1 F, 12/5 M	Thrombocytopenia, drug-induced	16/11 M
Saquinavir	8/5 L, 11/3 M	Ticarcillin/clavulanic acid	1/9 L
Scabies treatment	1/8 M, 2/8 L	Tipepidine	20/8 M
Scientific bias	3/9 L	Tobramycin	2/5 L, 14/9 L
Sedatives	4/10 L	Tobramycin, lung transplant	4/6 L
Sedatives, kinetics in neonates	3/3 L	Tobramycin pharmacokinetics	3/11 L, 10/6 L
Selective 5HT <sub>3</sub> reuptake inhibitors	2/10 M	Tolterodine	11/3 M
Self-medication, adolescents	13/5 M	Topiramate	4/5 L, 5/12 M, 7/6 M, 7/11 L, 8/1 M, 9/12 M, 18/12 M, 19/7 M, 20/6 M
Serotonin syndrome	12/3 M	Toxic epidermal necrolysis	4/11 M
Sertraline	2/10 M	Treprostinil	19/6 M
Sertraline/erythromycin	5/9 L	Triamcinolone	2/1 M, 7/5 M
Serum sickness, cross-sensitivity	4/7 L	Trihexyphenidyl	17/6 M
Sevelamer	12/5 L	Trimethoprim-sulfamethoxazole	4/4 M
Sildenafil	10/2 M, 12/4 L, 18/10 M, 19/6 M	Type 2 diabetes treatment	11/7 L
Simvastatin	8/9 M	<b>U</b>	
Sinusitis, therapy review	6/7 L	Urosdeoxycholic acid (ursodiol)	3/11 L, 15/2 M
Sirolimus	12/2 M	<b>V</b>	
Skin reactions, drug-induced	1/9 L, 4/11 M	Vaccines	1/3 M, 3/7 M, 7/3 M, 10/5 M
Smoking cessation	1/3 L	Vaccines, adolescents	9/8 M
Sodium bicarbonate	2/12 M, 16/7 M	Vaccines, storage	1/6 M
Sodium ferric gluconate	11/3 M	Valacyclovir	8/6 M
Sodium phosphate, oral	12/5 M	Valganciclovir	15/10 M
Somatropin	11/3 M	Valproic acid	1/12 L, 3/3 M, 5/7 L, 13/6 L
Sotalol	7/3 L, 7/4 L	Vancomycin	1/2 M, 3/8 L, 3/9 L, 5/12 L, 12/5 L, 17/6 L, 20/10 M
Spinosad	18/6 M	Vancomycin, neonatal kinetics	3/11 L, 7/9 L, 10/6 L
Spironolactone	1/10 M, 10/1 M	Vancomycin resistance	1/2 M, 20/10 M
Splitting tablets	3/11 L, 4/3 L	Varicella vaccine	1/2 F
Stevens-Johnson syndrome	4/11 M	Vasopressin	9/9 M
Sublingual Allergan Extracts	20/6 M	Vecuronium	5/9 M
Sucrose, oral	11/6 L	Venlafaxine	11/3 M
Sufentanil	2/5 L, 8/1 M, 19/8 M	Vigabatrin	15/12 M
Sulfamethoxazole-trimethoprim	4/4 M	Vitamin D	15/5 M, 15/6 M
Sumatriptan	9/12 M, 11/3 M		
Supraventricular tachycardia	4/6 L		
Surfactants	2/3 L, 4/9 L, 10/3 L		
Sweeteners	2/9 M		
<b>T</b>			

Vitamin K	1/4 L, 7/10 M
Vitamin supplements	3/4 M
<b>W</b>	
Warfarin	1/1 M, 6/12 L
Warfarin/fluconazole	2/5 L
<b>X-Z</b>	
Zafirlukast	5/12 M
Zidovudine	4/1 L, 9/12 M
Zidovudine, kinetics in infants	5/9 L
Zidovudine, pregnancy	1/8 L
Zinc, common cold	4/2 L
Ziprasidone	7/8 M
Zolmitriptan	11/3 M
Zolpidem	14/7 L
Zonisamide	11/11 M