

PEDIATRIC PHARMACOTHERAPY



Volume 23 Number 1

January 2017

Cumulative Index

(Volume/issue and citation type: M= main feature; L= lit. review; F= FDA update; C= correction)

A		Anesthetics	4/11 L, 12/8 L
Abacavir	11/5 L	Angiotensin converting enzyme (ACE) inhibitors	2/2 L
Abacavir/lamivudine	21/11 M	Anidulafungin	12/5 M, 17/6 L
Acellular pertussis vaccine	3/2 L, 3/7 M, 3/9 L, 11/8 L	Antiarrhythmics, pregnancy	5/5 L
Acetaminophen	1/6 L, 2/7 M, 6/3 L, 13/11 M	Antibiotics, allergies	1/12 L
Acetaminophen, IV	17/4 M	Antibiotics	2/4 L, 4/7 L, 5/7 L
Acetaminophen overdose	6/3 M, 12/4 L, 22/4 M	Antibiotics, use in infants	5/11 L
Acetaminophen, rectal	5/12 L, 7/9 M	Anticonvulsants, kinetics	1/12 L, 2/1 L
Acetylcysteine	22/4 M	Anticonvulsants review	2/11 L, 4/4 L, 6/10 L, 8/6 L, 12/11 L, 18/12 M
Aclometasone	2/1 M	Antidepressants, suicidal ideation	11/3 M
Acyclovir	8/6 M	Antiemetic guidelines	5/6 L, 6/11 L
Adalimumab	13/8 M	Antifungals review	3/4 L, 10/6 L
Adapalene	21/11 M	Antihistamines	1/9 M, 7/3 L, 7/4 M
Adenosine	14/8 M	Antineoplastics, toxicity	3/2 L
Adverse drug reactions	1/3 M, 2/10 L, 2/11 L, 4/11 L, 17/6 L	Antipyretics	2/7 M, 5/8 L, 10/3 M
Adherence	1/4 L, 3/8 M, 3/11 L, 5/11 L, 7/2 L, 8/1 L, 22/7 M	Antiretrovirals	10/4 L, 11/12 L
Albuterol	2/5 M, 8/1 L, 14/5 L, 21/12 M	Antithrombin	19/2 M
Alglucosidase alfa	12/5 M, 13/3 F, 13/11 M	Aprepitant	21/5 M, 21/11 M
Almotriptan	15/11 M	Aprotinin	12/5 L
Alprostadil (PGE ₁)	6/9 M	Ardeparin	3/6 M
Alteplase	5/6 L, 5/8 M	Aripiprazole	10/12 M
Alternative therapies	4/5 M, 12/4 L	Arrhythmias, drug-induced	3/11 L
Ambrisentan	19/6 M	Artemether-Lumefantrine	16/10 M
Amcinonide	2/1 M	Asfotase alfa	21/11 M
Amiloride kinetics	3/5 L, 9/2 L	Aspirin	13/2 M
Aminocaproic acid	12/10 M	Astemizole	1/9 M
Aminoglycosides, in transplant patients	3/11 L	Asthma	1/1 L, 1/8 L, 5/7 L, 12/11 L
Aminoglycosides/vancomycin	12/5 L	Ataluren	21/2 M
Amiodarone	7/12 M	Atazanavir	21/11 M
Amlodipine	9/7 M, 10/3 M	Atenolol, use in Marfan syndrome	1/5 L
Amoxicillin adverse effects	5/3 L	Atomoxetine	8/1 M, 8/4 M, 9/4 M, 10/2 L, 10/9 L, 11/3 M, 11/6 L, 11/7 L, 20/8 M
Amphetamine products	11/3 M, 21/11 M, 22/10 M	Atomoxetine interactions	8/12 L, 10/3 L
Amphotericin	13/11 M	Atorvastatin	8/9 M
Ampicillin, oral in neonates	4/1 L	Atovaquone/proguanil	10/3 M
Ampicillin-clavulanate	8/1 L	Atropine	2/12 M, 16/7 M, 20/5 M
Anagrelide	11/3 M	Attention-deficit/hyperactivity disorder (ADHD) treatment	1/12 M, 4/10 L, 8/1 L, 8/2 M, 8/3 M, 8/4 M, 11/8 L, 17/3 M
Analgesics, dosing	4/2 L, 22/8 M		

Atypical antipsychotics	7/8 M, 10/7 L, 11/3 M	Cisatracurium	19/9 M
Autism therapy	1/2 L, 14/1 M	Cisplatin	12/6 L
Autonomic-Mediated	20/4 M	Clarithromycin	2/2 M, 6/1 L, 18/10 M
Orthostasis		Clarithromycin/ itraconazole	5/12 L
Azithromycin	2/2 M, 3/11 L, 4/9 L, 8/1 L, 11/4 M	Clemastine	1/9 M
B		Clevidipine	17/8 L
Balsalazide	13/3 F	Clindamycin	14/2 M
Beclomethasone	7/5 M, 21/12 M	Clobazam	17/12 M
Benazepril	11/3 M	Clobetasol	2/1 M
Benzalkonium chloride	2/9 M	Clofarabine	11/3 M
Benzyl alcohol	2/9 M, 18/6 M	Clonazepam, kinetics	2/3 L
Betamethasone	2/1 M, 3/11 L	Clonidine	1/12 M, 6/2 L, 8/4 M, 13/11 M, 19/11 M
Bioterrorism, treatment	12/8 L, 12/9 C	Clopidogrel	16/5 M
Bivalirudin	20/12 M	<i>Clostridium difficile</i>	6/6 M
Black box warnings	8/12 M	Clozapine	7/8 M, 9/12 M
Bosentan	9/7 L, 9/12 M, 12/5 M, 17/11 M, 19/6 M	Codeine	10/4 M, 13/10 M, 18/6 L, 18/10 M
Botulinum toxin	9/3 M	Conscious sedation	2/3 L
Breastfeeding, drugs given	1/12 L, 12/8 L, 13/9L	Corticosteroids, inhaled	9/7 L, 12/11 L
Brivaracetam	21/2 M	Corticosteroids, intranasal	7/5 M
Brompheniramine	1/9 M	Corticosteroids, topical	2/1 M
Budesonide	4/10 L, 7/3 L, 7/5 M, 7/9 C, 8/1 M, 10/3 M, 10/8 L, 13/3 F, 22/11 M	Co-trimoxazole	4/4 M
Bumetanide	1/10 M	Cough and cold products	20/11 M
Buprenorphine withdrawal	4/2 L	Creatinine clearance	1/10 L
Bupropion	8/4 M, 12/6 L	Cromolyn	5/7 M
Buspirone	8/1 L, 8/4 M, 12/6 L	Crotamiton	1/8 M
Busulfan	10/3 M, 12/6 L	Croup management	3/5 L
C		Cyclosporine	1/4 M
Caffeine	1/3 L, 5/12 M, 14/6 M	Cyclosporine dynamics	5/10 L
Caffeine, kinetics	3/8 L, 7/7 L	Cyclosporine, interactions	1/6 L, 2/4 L
Calcium chloride	2/12 M, 16/7 M	Cyclosporine kinetics	2/3 L, 3/7 L, 12/4 L
Carbamazepine	2/11 M, 5/7 L, 18/11 M	Cyclosporine/norfloxacin	1/11 L
Carbamazepine interactions	1/6 L, 2/10 L, 4/11 L	Cystic fibrosis, metabolism	1/1 L, 5/2 L
Carvedilol	11/2 M	Cystic fibrosis, ibuprofen in	5/5 L
Caspofungin	11/8 M, 13/5 L	Cystic fibrosis therapy	1/11 L, 2/5 L
Cefaclor	2/6 M	Cytochrome P450 enzymes	1/7 L, 3/5 M, 4/3 L, 6/2 L, 9/12 M, 13/10 M
Cefadroxil	2/6 M	D	
Cefdinir	20/9 M	Dalteparin	3/6 M
Cefepime	1/8 L, 3/2 L, 5/5 M, 13/7 L, 18/10 M	Daptomycin	12/5 L, 19/4 M
Cefixime	2/6 M	Darbepoetin	8/1 M
Cefpodoxime	2/6 M	Deflazacort	21/12 M
Cefprozil	2/6 M	Desensitization, antimicrobials	3/11 L
Ceftazidime	1/4 L, 2/2 L	Desloratadine	11/3 M, 17/5 M
Ceftibuten	2/6 M, 3/11 L	Desonide	2/1 M, 13/3 F
Ceftriaxone	3/2 M, 8/7 L	Dexamethasone	2/1 M
Cefuroxime axetil	2/6 M, 2/7 L	Dexmedetomidine	12/1 M, 19/8 M
Cefuroxime, pregnancy	6/4 L	Dexmethylphenidate	8/1 M, 12/6 L
Celecoxib	8/12 L, 13/3 F	Dextroamphetamine	1/12 M, 8/1 M, 8/3 M, 13/3 F, 17/3 M
Cephalexin	2/6 M	Diazepam	10/6 L, 12/5 M, 13/3 F, 19/10 M
Cephradine	2/6 M	Digoxin interactions	1/4 L
Cetirizine	3/4 L, 7/4 M, 16/6 M	Dihydroergotamine (DHE)	13/7 M
Chloral hydrate	11/9 M	Dilution of medications	1/8 L
Chlorothiazide	1/10 M	Diphenhydramine	1/9 M
Chlorpheniramine	1/9 M	Direct-to-consumer ads	13/11 M
Ciclesonide	13/3 F, 18/5 M	Diuretics	1/10 M
Ciprofloxacin	4/12 M, 11/3 M	Dornase alpha	1/1 L, 1/6 L, 2/3 L
Cisapride interactions	2/11 M, 9/10 L, 9/12 M		

Drorzolamide	11/3 M	Fluocinolone	2/1 M
Doxapram	8/1 M, 8/2 L	Fluocinonide	2/1 M
Doxepin, breastfeeding	5/9 L	Fluoxetine	2/10 M, 8/4 M, 10/3 M
Doxepin, toxicity with topical use	6/7 L	Flurandrenolide	2/1 M
Doxycycline	9/10 M, 13/9 L	Fluticasone	2/1 M, 7/5 M, 10/3 M, 13/3 F, 21/12 M
d-penicillamine, dosing	6/7 L	Fluvastatin	8/9 M
DRESS syndrome	18/11 M	Fluvoxamine	2/10 M
Drisapersen	21/2 M	Food and Drug Administration (FDA)	1/11 M, 6/12 M, 8/1 M, 12/5 M, 12/9 L, 18/10 M
Droperidol	8/1 M	Fosamprenavir	18/7 M
Drug administration in ventilators	5/5 L	Fosinopril	10/3 M
Drug approval (FDA)	1/11 M	Furosemide	1/10 M, 4/3 L, 15/8 M
Drug information	8/9 L, 8/12 M	G	
Drug interactions, renal	4/7 L	Gabapentin	4/5 L, 4/6 L, 7/6 L, 8/10 M, 22/2 M, 22/5 M
Drug labeling, pediatrics	3/9 F, 12/5 M, 18/6 L	Ganciclovir	15/10 M, 17 C
Drug-nutrient interactions	1/5 M	Gastric acid suppression	11/5 L
Drug reactions, idiosyncratic	2/10 L	G-CSF	1/1 L, 1/2 L, 6/11 L
Duloxetine	14/5 L	Gentamicin	2/1 L, 4/1 L, 8/1 L
Dyes and colorants	2/9 M	Gentamicin, neonates	1/7 L, 7/2 L, 9/7 L, 18/8 L
E		Gestational diabetes therapy	2/7 L
Ecallantide	20/6 M	Glyburide/metformin	11/3 M
Eculizumab	18/2 M	Gloves, permeability	5/12 L
Edivoxetine	20/8 M	Granisetron	3/9 M
Elosulfase alfa	20/6 M	Grapefruit juice/carbamazepine	4/11 L
Elvitegravir, combination	21/11 M	Group B Strep., therapy	3/8 L
EMLA	2/1 M, 3/11 L	Growth hormone	3/7 L, 11/3 M
Enalapril	8/10 L	Guanfacine	13/1 L, 13/3 F, 3/11 M, 14/4 M, 17/3 M, 20/8 M
Enoxaparin	3/6 M, 7/2 L, 11/12 L, 13/11 M, 17/9 M	H	
Entrectinib	21/2 M	Halbetasol	2/1 M
Epinephrine	2/12 M, 14/5 M, 16/7 M	Halcinonide	2/1 M
Eplerenone	10/1 M	Heparin	3/5 L, 17/9 M
Epoetin	1/3 L, 5/12 M, 6/7 L, 6/11 L, 8/11 M, 10/2 L	Heparin vs. saline in catheters	4/4 L
Escitalopram	15/9 M	Hepatitis A vaccine	12/4 M
Ertapenem	12/6 M	Herbal medicines	3/11 L, 4/5 M, 6/4 L, 12/4 L
Erythema multiforme	4/11 M	HIV, therapy in children	1/6 L
Erythromycin	2/2 M, 5/9 L, 16/4 M	HMG-CoA reductase inhibitors	5/12 L, 8/9 M
Etanercept	11/5 L, 13/8 M	Human papillomavirus (HPV) vaccine	12/9 L, 12/11 M, 13/3 F, 21/3 M
Ethanol	2/9 M	Hydrochlorothiazide	1/10 M
Etomidate	14/9 M	Hydrocortisone	2/1 M, 13/4 M, 22/12 M
Etoposide, kinetics	1/9 L	Hydromorphone	14/7 M
Everolimus	20/2 M	Hydroxyurea, pregnancy	6/1 L
Excipients, pharmaceutical	2/9 M	Hypercholesterolemia	3/6 L, 8/9 M
Extended release liquids	19/3 M	Hypertension treatment	1/1 L, 6/5 L
Extravasations, IV	4/1 M	Hypertonic saline	13/10 L
F		I	
Famotidine	2/3 L, 2/9 L, 4/2 M, 9/6 L	Ibuprofen	2/7 M, 5/9 L, 6/4 M
Felbamate	5/11 L	Ibuprofen lysine injection	12/5 M, 13/3 F
Fenoldopam	11/3 M	Ibuprofen overdose	1/10 L, 4/9 L
Fentanyl	10/3 M, 19/8 M, 22/5 M	Ibuprofen, cystic fibrosis	5/5 L, 10/3 L
Fexofenadine	7/4 M, 10/3 M, 13/3 F	Idiosyncratic drug reactions	2/10 L
Flavorings	2/9 M		
Fluconazole	1/2 L, 3/12 M		
Fluconazole/warfarin	2/5 L		
Fludarabine	10/3 M		
Fludrocortisone	20/4 M		
Flunisolide	7/5 M		

Idursulfase	13/3 F	Lisinopril	10/3 M
Ifosfamide metabolites	4/6 L	Loracarbef	2/6 M
Iloprost	19/6 M	Loratadine	1/9 M, 7/4 M, 13/3 F,
Imipenem-cilastatin	2/2 L		17/5 M
Immune globulin, HIV	1/5 L	Lorazepam	19/10 M
Indinavir nephrotoxicity	3/11 L	Losartan	11/3 M
Indomethacin	14/3 L	Lovastatin	8/9 M
Infliximab	5/11 M, 7/9 L, 8/1 M, 11/3 M, 13/3 F, 13/8 M, 13/9 L	Low-molecular-weight heparins	3/6 M
Influenza treatment	12/4 L	Lumacaftor	21/2 M
Influenza vaccine	10/8 M	M	
Insulin	10/6 L, 13/5 L, 13/11 M	Macrolides	1/9 L, 2/2 M, 3/4 L, 5/2 L
Insulin, inhaled	12/5 M	Magnesium, use in asthma	5/7 L
Internet, as information source	5/6 M, 5/12 L	Malathion	1/8 M
Intranasal benzodiazepines	12/10 M	Measles vaccine review	5/2 L, 7/3 M
Intranasal sedation	19/8 M	Measles, mumps, rubella, and varicella vaccine	11/12 M
Intraosseous drug administration	12/12 M	Medication adherence	1/4 L, 3/8 M, 3/11 L, 5/11 L, 7/2 L, 8/1 L, 22/7 M
Irinotecan	11/3 M	Medication errors, prevention	1/1 L, 5/10 M, 10/8 L, 11/12 L, 12/6 L, 14/11 M, 14/12 M
Iron sucrose	11/12 L	Medication taste	3/11 L
Isoniazid	1/2 L, 3/11 L	MedWatch	1/3 M, 1/8 L
Isotretinoin	7/7 M, 8/1 M, 12/5 M	Melatonin	9/11 M
Isradipine	3/7 L, 8/8 L	Meningococcal conjugate vaccine (quadrivalent)	11/5 M, 12/11 L, 17/10 M
Itraconazole/clarithromycin	5/12 L	Meningococcal serogroup B vaccine	20/7 M
Ivacaftor	18/4 M	Meningococcal C,Y- Haemophilis b conjugate vaccine	18/8 M
Ivermectin	18/6 M	Menstrual cycle and drug metabolism	4/6 L
J		Mepolizumab	21/2 M, 21/11 M
Juvenile rheumatoid arthritis	5/12 L	Mercaptopurine	20/6 M
K		Meropenem	3/10 L, 4/7 M
Kawasaki syndrome therapy	5/12 L, 18/8 L	Metered-dose inhalers	4/3 L
Kernicterus prevention	4/7 L	Mesalamine	21/11 M
Ketamine	11/10 L, 19/8 M, 22/6 M	Metformin	7/2 L, 10/7 M
Ketogenic diet	4/4 L	Methadone	6/7 M, 8/1 L, 13/3 F
Ketoprofen	9/12 M	Methemoglobinemia	2/8 L
Ketorolac	3/6 L, 5/7 L, 17/8 M	Methotrexate kinetics	1/4 L
L		Methylnaltrexone	20/3 M, 22/5 M
Lacosamide	17/7 M	Methylphenidate	1/12 M, 3/10 L, 5/10 L, 6/2 L, 8/2 M, 9/10 L, 11/3 M, 12/5 M, 12/8 L, 13/3 F, 14/3 M, 17/3 M, 20/8 M, 21/8 M
Lamivudine	8/1 M	Methylphenidate abuse	9/8 L
Lamotrigine	1/3 L, 1/12 L, 3/8 L, 5/3 M, 5/7 L, 13/3 F, 13/11 M	Methylphenidate, splitting	3/11 L
Lansoprazole	5/4 M, 8/7 L, 11/3 M	Methylphenidate tolerance	6/1 L
Leflunomide	11/3 M	Metoclopramide	1/3 L, 4/5 L
Levalbuterol, assessment	5/3 L	Metolazone	1/10 M
Levetiracetam	8/7 M, 14/5 L, 18/12 M, 22/5 M	Metoprolol	20/4 M
Levocetirizine	16/6 M	Metreleptin	20/6 M
Levothyroxine	14/10 M, 14/12 C	Micafungin	20/1 M
Lice, treatment	1/8 M, 18/6 M, 21/9 M	Midazolam	4/9 L, 6/1 M, 7/6 L, 8/1 L
Lidocaine	19/12 M, 22/5 M	Midazolam clearance	2/2 L
Lindane	1/8 M	Midazolam compatibility	1/12 L
Linezolid	9/6 M, 9/12 M		
Lisdexamfetamine	13/3 F, 14/3 M, 17/3 M, 20/8 M		

Midazolam, intranasal	2/5 L, 19/8 M, 19/10 M	Otitis media therapy	4/10 L, 7/3 L, 12/11 L
Midazolam, use in neonates	1/2 L	Over-the-counter drugs	4/9 L, 20/11 M
Midodrine	20/4 M	Oxcarbazepine	7/11 M, 9/12 M, 18/11 M
Milk:Plasma ratio	2/4 M	Oxybutynin	10/3 M
Milrinone	9/2 M	Oxycodone	10/7 L, 12/6 L
Miltefosine	20/6 M		
Mineral supplements	3/2 M	P	
Minocycline-induced lupus	3/11 L	Palliative care	22/5 M
Mirtazapine	6/2 M	Pain management	2/3 L, 2/6 L, 22/10 M
Modafinil	12/5 M	Palivizumab	4/9 M, 6/2 L, 10/9 M
Mometasone	2/1 M, 5/12 M, 7/5 M	Pamidronate	10/3 L
Montelukast	4/10 M, 7/9 L, 12/8 L, 14/5 L, 21/4 M	Parenteral nutrition	1/3 L, 5/12 L, 8/4 L
Moricizine	1/12 L, 12/9 L	Paricalcitol	11/3 M
Morphine	1/1 L, 22/5 M	Paroxetine	2/10 M
Moxifloxacin	10/3 M	Paroxetine/atomoxetine	8/12 L
Muromonab-CD3, anaphylaxis	6/2 L	Patient-controlled analgesia	6/11 M
Mycophenolate	4/1 L, 4/8 M	Patient education	3/8 M
		Pediatric pharmacology library	1/6 M
N		Pemoline	1/8 L, 1/12 M, 4/5 L, 8/4 M
N-acetylcysteine	22/4 M	Perampanel	18/12 M, 22/1 M
Nalmefene dosing/kinetics	6/9 L	Permethrin	1/8 M
Naloxone	2/12 M, 8/8 M, 9/11 L, 22/3 M	PGE ₁	6/9 M
Naratriptan	7/5 L	Pharmacokinetics, methodology	8/12 L, 15/3 M, 18/8 L
Nedocromil	5/7 M	Phenobarbital	3/10 L, 5/6 L, 18/12 M
Nelfinavir	11/3 M	Phenothiazines review	5/10 L
Nephrotic syndrome	9/8 L	Phenytoin	2/8 M, 4/4 L, 7/5 L, 11/6 M, 18/11 M
Nesiritide	12/5 L, 12/8 M	Phenytoin/enteral feedings	6/9 L
Nicardipine	9/7 L	Phosphate overdose	3/12 L
Nicotine, breastmilk	10/3 L	Photosensitivity, drug- induced	4/6 M
Nitric oxide	7/4 L	Pimecrolimus	8/1 M, 8/5 M, 11/3 M, 12/5 M, 13/9 L
Nitrofurantoin, breastmilk	7/7 L	Placebo response	2/11 L, 18/3 M, 18/7 C
Nizatidine	8/12 L, 11/3 M	Placental drug transfer	1/4 L, 2/1 L
Non-prescription medications	1/5 L	Plasmapheresis, drug removal	13/11 M
Nonsteroidal anti- inflammatory drugs (NSAIDs)	1/6 L, 11/3 M, 12/6 L	Pneumococcal vaccine	5/12 M, 6/8 M, 7/3 M, 11/5 L
Norfloracin/cyclosporine	1/11 L	Pneumonia, treatment	11/8 L
O		Poison prevention	1/3 M, 2/3 M, 4/3 M
Obesity, therapy	3/11 L, 13/9 L	Polio vaccine	3/7 M, 7/3 M, 10/6 M
Octreotide	9/7 L, 10/10 M	Polyethylene glycol	2/9 M
Olanzapine	7/8 M	Portactant	5/12 M
Omalizumab	10/9 L, 13/3 F, 13/6 M, 20/6 M	Pravastatin	8/9 M, 9/9 L
Omeprazole	5/4 M, 9/12 M, 10/2 L	Pregnancy, drugs in	3/11 L, 5/5 L, 6/1 L, 6/4 L, 6/12 F, 16/1 M
Ondansetron	1/2 L, 1/11 L, 3/9 M, 18/10 M	Preservatives	2/9 M, 4/3 L
Ophthalmic anesthetics	11/5 L	Prolonged QT, drug- induced	11/10 M, 18/10 M
Opioids, abuse	22/9 M	Promethazine	9/8 L, 11/3 M, 12/5 M, 13/3 F, 16/3 M
Opioids, tolerance	6/7 M	Propafenone, CVVH	5/10 L
Opioids, toxicity	2/3 L, 18/10 M	Propofol	6/5 M, 22/5 M
Oral contraceptives	1/3 L	Propranolol	16/8 M, 20/4 M, 20/6 M
Orally Disintegrating Tablets	19/3 M	Propylene glycol	2/9 M
Orlistat	10/3 M	Protease inhibitors	7/3 L
Orodispersible films	19/3 M	Proton pump inhibitors	5/4 M
Oseltamivir	6/12 F, 7/2 M, 11/3 M, 18/9 M	Psychiatric disease, therapy	2/6 L

Psychotropic use, predicting	1/12 L	Sotalol	7/3 L, 7/4 L
Pyrazinamide	8/8 L	Spinosad	18/6 M
Pyrethrins	1/8 M	Spiroonolactone	1/10 M, 10/1 M
Q		Splitting tablets	3/11 L, 4/3 L
Quetiapine	7/8 M	Stevens-Johnson syndrome	4/11 M
Quinapril	9/12 M	Sublingual Allergan	20/6 M
Quinine	5/6 L	Extracts	
R		Sucrose, oral	11/6 L
Raltegravir	18/1 M	Sufentanil	2/5 L, 8/1 M, 19/8 M
Rasburicase	12/9 L	Sulfamethoxazole-trimethoprim	4/4 M
Recombinant Factor IX	20/6 M	Sumatriptan	9/12 M, 11/3 M, 21/6 M
Remifentanil	11/3 M, 11/12 L, 12/9 L, 19/5 M	Supraventricular tachycardia	4/6 L
Renal drug interactions	4/7 L	Surfactants	2/3 L, 4/9 L, 10/3 L
Respiratory syncytial virus	3/10 M, 4/2 L, 4/9 M	Sweeteners	2/9 M
RSV immune globulin	3/10 M, 4/9 M, 6/2 L	T	
Retapamulin	13/9 M	Tacrolimus	4/2 L, 4/10 L, 7/3 L, 9/5 M
Reye's syndrome	8/8 L, 13/2 M	Tacrolimus/enteral feedings	4/8 L
Ribavirin	3/10 M	Tacrolimus, topical	8/5 M, 11/3 M, 12/5 M, 13/9 L
Rifampin	10/11 M, 12/11 L	Tadalafil	19/6 M
Rilpivirine	21/11 M	Taste, effect on adherence	3/11 L
Risk Management (REMS)	17/2 M, 18/10 M	Temozolomide	10/3 M
Risperidone	2/5 L, 7/8 M, 13/3 F, 13/5 L, 13/6 L, 14/1 M	Terbinafine	12/7 M
Rocuronium	6/10 M	Terfenadine	1/5 L, 1/9 M
Rotavirus vaccine	5/2 M, 6/12 F, 12/9 M, 13/3 F	Tetanus, diphtheria, acellular pertussis booster vaccine	11/7 M
Rufinamide	15/4 M, 18/12 M	Theophylline dosing	1/4 L, 1/5 L, 1/9 L
S		Therapeutic drug monitoring	1/7 M
<i>Saccharomyces boulardii</i>	15/7 M	Therapeutic equivalence	2/12 L
Salmeterol	1/1 F, 12/5 M	Thimerosal	7/3 M
Saquinavir	8/5 L, 11/3 M	Thrombocytopenia, drug-induced	16/11 M
Scabies treatment	1/8 M, 2/8 L	Ticarcillin/clavulanic acid	1/9 L
Scientific bias	3/9 L	Tiotropium	21/11 M, 21/12 M
Sedatives	4/10 L	Tipepidine	20/8 M
Sedatives, neonatal kinetics	3/3 L	Tobramycin	2/5 L, 14/9 L
Selective 5HT ₃ reuptake inhibitors	2/10 M	Tobramycin, lung transplant	4/6 L
Self-medication, adolescents	13/5 M	Tobramycin, kinetics	3/11 L, 10/6 L
Serotonin syndrome	12/3 M	Tolterodine	11/3 M
Sertraline	2/10 M	Topiramate	4/5 L, 5/12 M, 7/6 M, 7/11 L, 8/1 M, 9/12 M, 18/12 M, 19/7 M, 20/6 M
Sertraline/erythromycin	5/9 L	Toxic epidermal necrolysis	4/11 M
Serum sickness, cross-sensitivity	4/7 L	Tramadol	21/10 M
Sevelamer	12/5 L	Treprostinil	19/6 M
Sildenafil	10/2 M, 12/4 L, 18/10 M, 19/6 M	Triamcinolone	2/1 M, 7/5 M
Simvastatin	8/9 M	Trihexyphenidyl	17/6 M
Sinusitis, therapy review	6/7 L	Trimethoprim-sulfamethoxazole	4/4 M
Sirolimus	12/2 M	Type 2 diabetes treatment	11/7 L
Skin reactions, drug-induced	1/9 L, 4/11 M	U	
Smoking cessation	1/3 L	Uridine triacetate	21/11 M
Sodium bicarbonate	2/12 M, 16/7 M	Urodiol	3/11 L, 15/2 M
Sodium ferric gluconate	11/3 M		
Sodium phosphate, oral	12/5 M		
Somatropin	11/3 M		

V

Vaccines	1/3 M, 3/7 M, 7/3 M, 10/5 M, 21/7 M
Vaccines, adolescents	9/8 M
Vaccines, storage	1/6 M
Valacyclovir	8/6 M
Valganciclovir	15/10 M
Valproic acid	1/12 L, 3/3 M, 5/7 L, 13/6 L
Vancomycin	1/2 M, 3/8 L, 3/9 L, 5/12 L, 12/5 L, 17/6 L, 20/10 M
Vancomycin, neonatal kinetics	3/11 L, 7/9 L, 10/6 L
Vancomycin resistance	1/2 M, 20/10 M
Varicella vaccine	1/2 F
Vasopressin	9/9 M
Vecuronium	5/9 M
Venlafaxine	11/3 M
Vigabatrin	15/12 M
Vitamin D	15/5 M, 15/6 M
Vitamin K	1/4 L, 7/10 M
Vitamin supplements	3/4 M

W

Warfarin	1/1 M, 6/12 L
Warfarin/fluconazole	2/5 L

X-Z

Zafirlukast	5/12 M
Zidovudine	4/1 L, 9/12 M
Zidovudine, kinetics in infants	5/9 L
Zidovudine, pregnancy	1/8 L
Zinc, common cold	4/2 L
Ziprasidone	7/8 M
Zolmitriptan	11/3 M
Zolpidem	14/7 L
Zonisamide	11/11 M