

PEDIATRIC PHARMACOTHERAPY



Volume 25 Number 1

January 2019

Cumulative Index

(Volume/issue and citation type: M= main feature; L= literature review; F= FDA update; C= correction)

A	
Abacavir	11/5 L
Abacavir/lamivudine	21/11 M
Abatacept	23/7 M, 24/4 M
Acellular pertussis vaccine	3/2 L, 3/7 M, 3/9 L, 11/8 L
Acetaminophen	1/6 L, 2/7 M, 6/3 L, 13/11 M
Acetaminophen, IV	17/4 M, 23/7 M
Acetaminophen overdose	6/3 M, 12/4 L, 22/4 M
Acetaminophen, PDA	24/5 M
Acetaminophen, rectal	5/12 L, 7/9 M
Acetylcysteine	22/4 M
Aclometasone	2/1 M
Acyclovir	8/6 M
Adalimumab	13/8M
Adapalene	21/11 M
Adenosine	14/8 M
Adverse drug reactions	1/3 M, 2/10 L, 2/11 L, 4/11 L, 17/6 L
Adherence	1/4 L, 3/8 M, 3/11 L, 5/11 L, 7/2 L, 8/1 L, 22/7 M
Albuterol	2/5 M, 8/1 L, 14/5 L, 21/12 M
Alglucosidase alfa	12/5 M, 13/3 F, 13/11 M
Aliskiren	24/4 M
Almotriptan	15/11 M
Alprostadil (PGE ₁)	6/9 M
Alteplase	5/6 L, 5/8 M
Alternative therapies	4/5 M, 12/4 L
Ambrisentan	19/6 M
Amcinonide	2/1 M
Amiloride kinetics	3/5 L, 9/2 L
Aminocaproic acid	12/10 M
Aminoglycosides, in transplant patients	3/11 L
Aminoglycosides/vancomycin	12/5 L
Amiodarone	7/12 M
Amlodipine	9/7 M, 10/3 M
Amoxicillin adverse effects	5/3 L
Amphetamine products	11/3 M, 21/11 M, 22/10 M
Amphotericin	13/11 M
Ampicillin, oral in neonates	4/1 L
Ampicillin-clavulanate	8/1 L
Anagrelide	11/3 M
Analgesics, dosing	4/2 L, 22/8 M
Anesthetics	4/11 L, 12/8 L
Angiotensin converting enzyme (ACE) inhibitors	2/2 L
Anidulafungin	12/5 M, 17/6 L
Antiarrhythmics, pregnancy	5/5 L
Antibiotics, allergies	1/12 L
Antibiotics	2/4 L, 4/7 L, 5/7 L
Antibiotics, use in infants	5/11 L
Anticonvulsants, kinetics	1/12 L, 2/1 L
Anticonvulsants review	2/11 L, 4/4 L, 6/10 L, 8/6 L, 12/11 L, 18/12 M
Antidepressants, suicidal ideation	11/3 M
Antiemetic guidelines	5/6 L, 6/11 L
Antifungals review	3/4 L, 10/6 L
Antihistamines	1/9 M, 7/3 L, 7/4 M
Antineoplastics, toxicity	3/2 L
Antipyretics	2/7 M, 5/8 L, 10/3 M
Antiretrovirals	10/4 L, 11/12 L
Antithrombin	19/2 M
Aprepitant	21/5 M, 21/11 M, 24/6 M
Aprotinin	12/5 L
Ardeparin	3/6 M
Aripiprazole	10/12 M
Arrhythmias, drug-induced	3/11 L
Artemether-Lumefantrine	16/10 M
Asfotase alfa	21/11 M
Aspirin	13/2 M
Astemizole	1/9 M
Asthma	1/1 L, 1/8 L, 5/7 L, 12/11 L
Ataluren	21/2 M
Atazanavir	21/11 M
Atenolol, use in Marfan syndrome	1/5 L
Atomoxetine	8/1 M, 8/4 M, 9/4M, 10/2 L, 10/9 L, 11/3 M, 11/6 L, 11/7 L, 20/8 M
Atomoxetine interactions	8/12 L, 10/3 L
Atorvastatin	8/9 M
Atovaquone/proguanil	10/3 M
Atropine	2/12 M, 16/7 M, 20/5 M
Attention-deficit/	1/12 M, 4/10 L, 8/1 L,

hyperactivity disorder (ADHD) treatment	8/2 M, 8/3 M, 8/4 M, 11/8 L, 17/3 M	Cephalexin	2/6 M
Atypical antipsychotics	7/8 M, 10/7 L, 11/3 M	Cephradine	2/6 M
Autism therapy	1/2 L, 14/1 M	Cerliponase alfa	23/7 M, 24/4 M
Autonomic-Mediated Orthostasis	20/4 M	Cetirizine	3/4 L, 7/4 M, 16/6 M, 23/7 M, 24/4 M
Avelumab	24/4 M	Chloral hydrate	11/9 M
Azithromycin	2/2 M, 3/11 L, 4/9 L, 8/1 L, 11/4 M	Chlorothiazide	1/10 M
B		Chlorpheniramine	1/9 M
Balsalazide	13/3 F	Ciclesonide	13/3 F, 18/5 M
Beclomethasone	7/5 M, 21/12 M	Ciprofloxacin	4/12 M, 11/3 M, 23/7 M, 24/4 M, 24/8 M
Benazepril	11/3 M	Cisapride interactions	2/11 M, 9/10 L, 9/12 M
Benralizumab	24/4 M	Cisatracurium	19/9 M
Benzalkonium chloride	2/9 M	Cisplatin	12/6 L
Benznidazole	24/4 M	Clarithromycin	2/2 M, 6/1 L, 18/10 M
Benzyl alcohol	2/9 M, 18/6 M	Clarithromycin/ itraconazole	5/12 L
Betamethasone	2/1 M, 3/11 L	Clemastine	1/9 M
Bioterrorism, treatment	12/8 L, 12/9 C	Clevidipine	17/8 L
Bivalirudin	20/12 M	Clindamycin	14/2 M
Black box warnings	8/12 M	Clobazam	17/12 M
Bosentan	9/7 L, 9/12 M, 12/5 M, 17/11 M, 19/6 M	Clobetasol	2/1 M
Botulinum toxin	9/3 M	Clofarabine	11/3 M
Breastfeeding, drugs given	1/12 L, 12/8 L, 13/9L	Clonazepam, kinetics	2/3 L
Brivaracetam	21/2 M	Clonidine	1/12 M, 6/2 L, 8/4 M, 13/11 M, 19/11 M
Brompheniramine	1/9 M	Clopidogrel	16/5 M
Budesonide	4/10 L, 7/3 L, 7/5 M, 7/9 C, 8/1 M, 10/3 M, 10/8 L, 13/3 F, 22/11 M, 23/7 M	<i>Clostridium difficile</i>	6/6 M
Bumetanide	1/10 M	Clozapine	7/8 M, 9/12 M
Buprenorphine withdrawal	4/2 L	Codeine	10/4 M, 13/10 M, 18/6 L, 18/10 M
Bupropion	8/4 M, 12/6 L	Conscious sedation	2/3 L
Buspirone	8/1 L, 8/4 M, 12/6 L	Corticosteroids, inhaled	9/7 L, 12/11 L
Busulfan	10/3 M, 12/6 L	Corticosteroids, intranasal	7/5 M
C		Corticosteroids, topical	2/1 M
Caffeine	1/3 L, 5/12 M, 14/6 M	Co-trimoxazole	4/4 M
Caffeine, kinetics	3/8 L, 7/7 L	Cough and cold products	20/11 M
Calcium chloride	2/12 M, 16/7 M	Creatinine clearance	1/10 L
Cannabidiol	24/4 M, 24/11 M	Crisaborole	23/4 M
Carbamazepine	2/11 M, 5/7 L, 18/11 M	Cromolyn	5/7 M
Carbamazepine interactions	1/6 L, 2/10 L, 4/11 L	Crotamiton	1/8 M
Carvedilol	11/2 M	Croup management	3/5 L
Casposungin	11/8 M, 13/5 L	Cyclosporine	1/4 M
Cefaclor	2/6 M	Cyclosporine dynamics	5/10 L
Cefadroxil	2/6 M	Cyclosporine, interactions	1/6 L, 2/4 L
Cefdinir	20/9 M	Cyclosporine kinetics	2/3 L, 3/7 L, 12/4 L
Cefepime	1/8 L, 3/2 L, 5/5 M, 13/7 L, 18/10 M	Cyclosporine/norfloxacin	1/11 L
Cefixime	2/6 M	Cysteamine	24/4 M
Cefpodoxime	2/6 M	Cystic fibrosis, metabolism	1/1 L, 5/2 L
Cefprozil	2/6 M	Cystic fibrosis, ibuprofen in	5/5 L
Ceftaroline	23/6 M	Cystic fibrosis therapy	1/11 L, 2/5 L
Ceftazidime	1/4 L, 2/2 L	Cytochrome P450 enzymes	1/7 L, 3/5 M, 4/3 L, 6/2 L, 9/12 M, 13/10 M
Ceftibuten	2/6 M, 3/11 L	D	
Ceftriaxone	3/2 M, 8/7 L	Dalteparin	3/6 M
Cefuroxime axetil	2/6 M, 2/7 L	Daptomycin	12/5 L, 19/4 M, 23/7 M, 24/4 M
Cefuroxime, pregnancy	6/4 L	Darbepoetin	8/1 M
Celecoxib	8/12 L, 13/3 F	Dasotraline	24/4 M
		Deflazacort	21/12 M, 24/4 M
		Desensitization, antimicrobials	3/11 L

Desloratadine	11/3 M, 17/5 M	Etomidate	14/9 M
Desonide	2/1 M, 13/3 F	Etoposide, kinetics	1/9 L
Dexamethasone	2/1 M	Everolimus	20/2 M, 24/4 M
Dexmedetomidine	12/1 M, 19/8 M	Excipients, pharmaceutical	2/9 M
Dexmethylphenidate	8/1 M, 12/6 L	Extended release liquids	19/3 M
Dextroamphetamine	1/12 M, 8/1 M, 8/3 M, 13/3 F, 17/3 M	Extravasations, IV	4/1 M
Diazepam	10/6 L, 12/5 M, 13/3 F, 19/10 M	F	
Digoxin interactions	1/4 L	Famotidine	2/3 L, 2/9 L, 4/2 M, 9/6 L
Dihydroergotamine (DHE)	13/7 M	Felbamate	5/11 L
Dilution of medications	1/8 L	Fenoldopam	11/3 M
Diphenhydramine	1/9 M	Fentanyl	10/3 M, 19/8 M, 22/5 M
Direct-to-consumer ads	13/11 M	Ferric carboxymaltose	23/5 M
Diuretics	1/10 M	Fexofenadine	7/4 M, 10/3 M, 13/3 F
Dornase alpha	1/1 L, 1/6 L, 2/3 L	Flavorings	2/9 M
Dorzolamide	11/3 M	Fluconazole	1/2 L, 3/12 M
Doxapram	8/1 M, 8/2 L	Fluconazole/warfarin	2/5 L
Doxepin, breastfeeding	5/9 L	Fludarabine	10/3 M
Doxepin, toxicity with topical use	6/7 L	Fludrocortisone	20/4 M
Doxycycline	9/10 M, 13/9L	Flunisolide	7/5 M
d-penicillamine, dosing	6/7 L	Fluocinolone	2/1 M
DRESS syndrome	18/11 M	Fluocinonide	2/1 M
Drisapersen	21/2 M	Fluoxetine	2/10 M, 8/4 M, 10/3 M
Droperidol	8/1 M	Flurandrenolide	2/1 M
Drug administration in ventilators	5/5 L	Fluticasone	2/1 M, 7/5 M, 10/3 M, 13/3 F, 21/12 M, 23/7 M
Drug approval (FDA)	1/11 M	Fluvastatin	8/9 M
Drug fever	24/1 M	Fluvoxamine	2/10 M
Drug information	8/9 L, 8/12 M	Food and Drug Administration (FDA)	1/11 M, 6/12 M, 8/1 M, 12/5 M, 12/9 L, 18/10 M
Drug interactions, renal	4/7 L	Fosamprenavir	18/7 M
Drug labeling, pediatrics	3/9 F, 12/5 M, 18/6 L	Fosaprepitant	24/6 M
Drug-nutrient interactions	1/5 M	Fosinopril	10/3 M
Drug reactions, idiosyncratic	2/10 L	Fosphenytoin	23/7 M, 24/2 M, 24/4 M
Duloxetine	14/5 L	Furosemide	1/10 M, 4/3 L, 15/8 M
Dyes and colorants	2/9 M	G	
E		Gabapentin	4/5 L, 4/6 L, 7/6 L, 8/10 M, 22/2 M, 22/5 M
Ecallantide	20/6 M	Ganciclovir	15/10 M, 17/8 C
Ecilizumab	18/2 M	Gastric acid suppression	11/5 L
Edivoxetine	20/8 M	Gatifloxacin	23/7 M, 24/4 M
Elosulfase alfa	20/6 M	G-CSF	1/1 L, 1/2 L, 6/11 L
Elvitegravir, combination	21/11 M, 23/7 M, 24/4 M	Gentamicin	2/1 L, 4/1 L, 8/1 L
EMLA	2/1 M, 3/11 L	Gentamicin, neonates	1/7 L, 7/2 L, 9/7 L, 18/8 L
Enalapril	8/10 L	Gestational diabetes therapy	2/7 L
Enoxaparin	3/6 M, 7/2 L, 11/12 L, 13/11 M, 17/9 M	Glyburide/metformin	11/3 M
Entrectinib	21/2 M	Gloves, permeability	5/12 L
Epinephrine	2/12 M, 14/5 M, 16/7 M, 23/7 M, 24/4 M	Golodirsen	24/4 M
Eplerenone	10/1 M	Granisetron	3/9 M
Epoetin	1/3 L, 5/12 M, 6/7 L, 6/11 L, 8/11 M, 10/2 L	Grapefruit juice/carbamazepine	4/11 L
Escitalopram	15/9 M	Group B Strep., therapy	3/8 L
Ertapenem	12/6 M	Growth hormone	3/7 L, 11/3 M
Erythema multiforme	4/11 M	Guanfacine	13/1 L, 13/3 F, 3/11 M, 14/4 M, 17/3 M, 20/8 M
Erythromycin	2/2 M, 5/9 L, 16/4 M	H	
Eslicarbazepine	24/4 M	Halbetasol	2/1 M
Etanercept	11/5 L, 13/8 M	Halcinonide	2/1 M
Ethanol	2/9 M	Heparin	3/5 L, 17/9 M

Heparin vs. saline in catheters	4/4 L	Ketogenic diet	4/4 L
Hepatitis A vaccine	12/4 M	Ketoprofen	9/12 M
Herbal medicines	3/11 L, 4/5 M, 6/4 L, 12/4 L	Ketorolac	3/6 L, 5/7 L, 17/8 M
HIV, therapy in children	1/6 L	L	
HMG-CoA reductase inhibitors	5/12 L, 8/9 M	L-glutamine	24/4 M
Human papillomavirus (HPV) vaccine	12/9 L, 12/11 M, 13/3 F, 21/3 M	Lacosamide	17/7 M, 24/4 M
Hydrochlorothiazide	1/10 M	Lamivudine	8/1 M
Hydrocortisone	2/1 M, 13/4 M, 22/12 M	Lamotrigine	1/3 L, 1/12 L, 3/8 L, 5/3 M, 5/7 L, 13/3 F, 13/11 M
Hydromorphone	14/7 M	Lansoprazole	5/4 M, 8/7 L, 11/3 M
Hydroxyurea, pregnancy	6/1 L	Ledipasvir/Sofosbuvir	23/7 M
Hypercholesterolemia	3/6 L, 8/9 M	Leflunomide	11/3 M
Hypertension treatment	1/1 L, 6/5 L	Levalbuterol, assessment	5/3 L
Hypertonic saline	13/10 L	Levetiracetam	8/7 M, 14/5 L, 18/12 M, 22/5 M, 24/2 M, 24/7 M
I		Levocetirizine	16/6 M
Ibuprofen	2/7 M, 5/9 L, 6/4 M	Levothyroxine	14/10 M, 14/12 C
Ibuprofen lysine injection	12/5 M, 13/3 F	Lice, treatment	1/8 M, 18/6 M, 21/9 M
Ibuprofen overdose	1/10 L, 4/9 L	Lidocaine	19/12 M, 22/5 M
Ibuprofen, cystic fibrosis	5/5 L, 10/3 L	Lindane	1/8 M
Idiosyncratic drug reactions	2/10 L	Linezolid	9/6 M, 9/12 M
Idursulfase	13/3 F	Lisdexamfetamine	13/3 F, 14/3 M, 17/3 M, 20/8 M, 23/7 M
Ifosfamide metabolites	4/6 L	Lisinopril	10/3 M
Iloprost	19/6 M	Loracarbef	2/6 M
Imipenem-cilastatin	2/2 L	Loratadine	1/9 M, 7/4 M, 13/3 F, 17/5 M
Immune globulin, HIV	1/5 L	Lorazepam	19/10 M, 24/2 M
Indinavir nephrotoxicity	3/11 L	Losartan	11/3 M
Indomethacin	14/3 L	Lovastatin	8/9 M
Infliximab	5/11 M, 7/9 L, 8/1 M, 11/3 M, 13/3 F, 13/8 M, 13/9 L, 23/7 M	Low-molecular-weight heparins	3/6 M
Influenza treatment	12/4 L	Luliconazole	24/4 M
Influenza vaccine	10/8 M	Lurasidone	23/7 M, 24/4 M
Insulin	10/6 L, 13/5 L, 13/11 M	Lumacaftor	21/2 M
Insulin, inhaled	12/5 M	M	
Internet, as information source	5/6 M, 5/12 L	Macrolides	1/9 L, 2/2 M, 3/4 L, 5/2 L
Intranasal benzodiazepines	12/10 M	Magnesium, use in asthma	5/7 L
Intranasal sedation	19/8 M	Malathion	1/8 M
Intraosseous drug administration	12/12 M	Measles vaccine review	5/2 L, 7/3 M
Irinotecan	11/3 M	Measles, mumps, rubella, and varicella vaccine	11/12 M, 24/3 M
Iron sucrose	11/12 L	Medication adherence	1/4 L, 3/8 M, 3/11 L, 5/11 L, 7/2 L, 8/1 L, 22/7 M
Isoniazid	1/2 L, 3/11 L	Medication errors, prevention	1/1 L, 5/10 M, 10/8 L, 11/12 L, 12/6 L, 14/11 M, 14/12 M
Isotretinoin	7/7 M, 8/1 M, 12/5 M	Medication taste	3/11 L
Isradipine	3/7 L, 8/8 L	MedWatch	1/3 M, 1/8 L
Itraconazole/clarithromycin	5/12 L	Melatonin	9/11 M
Ivacaftor	18/4 M	Meningococcal conjugate vaccine (quadrivalent)	11/5 M, 12/11 L, 17/10 M
Ivermectin	18/6 M	Meningococcal serogroup B vaccine	20/7 M
J		Meningococcal C,Y-Haemophilis b conjugate vaccine	18/8 M
Juvenile rheumatoid arthritis	5/12 L		
K			
Kawasaki syndrome therapy	5/12 L, 18/8 L		
Kernicterus prevention	4/7 L		
Ketamine	11/10 L, 19/8 M, 22/6 M		

Menstrual cycle and drug metabolism	4/6 L	Nitrofurantoin, breastmilk	7/7 L
Mepolizumab	21/2 M, 21/11 M	Nizatidine	8/12 L, 11/3 M
Mercaptopurine	20/6 M	Non-prescription medications	1/5 L
Meropenem	3/10 L, 4/7 M	Nonsteroidal anti-inflammatory drugs (NSAIDs)	1/6 L, 11/3 M, 12/6 L
Metered-dose inhalers	4/3 L	Norfloxacin/cyclosporine	1/11 L
Mesalamine	21/11 M	O	
Metformin	7/2 L, 10/7 M	Obesity, therapy	3/11 L, 13/9 L
Methadone	6/7 M, 8/1 L, 13/3 F	Octreotide	9/7 L, 10/10 M
Methemoglobinemia	2/8 L	Olanzapine	7/8 M
Methotrexate	1/4 L, 23/7 M	Omalizumab	10/9 L, 13/3 F, 13/6 M, 20/6 M
Methylalantrexone	20/3 M, 22/5 M	Omeprazole	5/4 M, 9/12 M, 10/2 L
Methylphenidate	1/12 M, 3/10 L, 5/10 L, 6/2 L, 8/2 M, 9/10 L, 11/3 M, 12/5 M, 12/8 L, 13/3 F, 14/3 M, 17/3 M, 20/8 M, 21/8 M, 23,7 M, 23/8 M	Ondansetron	1/2 L, 1/11 L, 3/9 M, 18/10 M
Methylphenidate abuse	9/8 L	Ophthalmic anesthetics	11/5 L
Methylphenidate, splitting	3/11 L	Opioids, abuse	22/9 M
Methylphenidate tolerance	6/1 L	Opioids, tolerance	6/7 M
Metoclopramide	1/3 L, 4/5 L	Opioids, toxicity	2/3 L, 18/10 M
Metolazone	1/10 M	Oral contraceptives	1/3 L
Metoprolol	20/4 M	Orally Disintegrating Tablets	19/3 M
Metreleptin	20/6 M	Orlistat	10/3 M
Micafungin	20/1 M	Orodispersible films	19/3 M
Midazolam	4/9 L, 6/1 M, 7/6 L, 8/1 L	Oseltamivir	6/12 F, 7/2 M, 11/3 M, 18/9 M
Midazolam clearance	2/2 L	Otitis media therapy	4/10 L, 7/3 L, 12/11 L
Midazolam compatibility	1/12 L	Over-the-counter drugs	4/9 L, 20/11 M
Midazolam, intranasal	2/5 L, 19/8 M, 19/10 M	Oxcarbazepine	7/11 M, 9/12 M, 18/11 M
Midazolam, use in neonates	1/2 L	Oxybutynin	10/3 M
Midodrine	20/4 M	Oxycodone	10/7 L, 12/6 L
Milk:Plasma ratio	2/4 M	Ozenoxacin	24/4/ M
Milrinone	9/2 M	P	
Miltefosine	20/6 M	Palliative care	22/5 M
Mineral supplements	3/2 M	Pain management	2/3 L, 2/6 L, 22/10 M
Minocycline-induced lupus	3/11 L	Palivizumab	4/9 M, 6/2 L, 10/9 M
Mirtazapine	6/2 M	Pamidronate	10/3 L
Modafinil	12/5 M	Parenteral nutrition	1/3 L, 5/12 L, 8/4 L
Mometasone	2/1 M, 5/12 M, 7/5 M	Paricalcitol	11/3 M
Montelukast	4/10 M, 7/9 L, 12/8 L, 14/5 L, 21/4 M	Paroxetine	2/10 M
Moricizine	1/12 L, 12/9 L	Paroxetine/atomoxetine	8/12 L
Morphine	1/1 L, 22/5 M	Patient-controlled analgesia	6/11 M
Moxifloxacin	10/3 M, 23/7 M, 24/4 M	Patient education	3/8 M
Muromonab-CD3, anaphylaxis	6/2 L	Pediatric pharmacology library	1/6 M
Mycophenolate	4/1 L, 4/8 M	Pemoline	1/8 L, 1/12 M, 4/5 L, 8/4 M
N		Peramivir	24/4 M
N-acetylcysteine	22/4 M	Perampanel	18/12 M, 22/1 M, 24/4 M
Nalmefene dosing/kinetics	6/9 L	Permethrin	1/8 M
Naloxone	2/12 M, 8/8 M, 9/11 L, 22/3 M	PGE ₁	6/9 M
Naratriptan	7/5 L	Pharmacogenomics	23/2 M
Nedocromil	5/7 M	Pharmacokinetics	8/12 L, 15/3 M, 18/8 L
Nelfinavir	11/3 M	Phenobarbital	3/10 L, 5/6 L, 18/12 M, 24/2 M
Nephrotic syndrome	9/8 L	Phenothiazines review	5/10 L
Nesiritide	12/5 L, 12/8 M	Phenylephrine/ketorolac	24/4 M
Nicardipine	9/7 L	Phenytoin	2/8 M, 4/4 L, 7/5 L,
Nicotine, breastmilk	10/3 L		
Nitric oxide	7/4 L		

	11/6 M, 18/11 M, 24/2 M	Rocuronium	6/10 M
Phenytoin/enteral feedings	6/9 L	Rotavirus vaccine	5/2 M, 6/12 F, 12/9 M,
Phosphate overdose	3/12 L		13/3 F
Photosensitivity, drug-induced	4/6 M	Rufinamide	15/4 M, 18/12 M
Pimecrolimus	8/1 M, 8/5 M, 11/3 M, 12/5 M, 13/9 L	S	
Placebo response	2/11 L, 18/3 M, 18/7 C	<i>Saccharomyces boulardii</i>	15/7 M
Placental drug transfer	1/4 L, 2/1 L	Salmeterol	1/1 F, 12/5 M
Plasmapheresis, drug removal	13/11 M	Saquinavir	8/5 L, 11/3 M
Pneumococcal vaccine	5/12 M, 6/8 M, 7/3 M, 11/5 L	Scabies treatment	1/8 M, 2/8 L
Pneumonia, treatment	11/8 L	Scientific bias	3/9 L
Poison prevention	1/3 M, 2/3 M, 4/3 M	Sedatives	4/10 L
Polio vaccine	3/7 M, 7/3 M, 10/6 M	Sedatives, neonatal kinetics	3/3 L
Polyethylene glycol	2/9 M	Selective 5HT ₃ reuptake inhibitors	2/10 M
Portactant	5/12 M	Self-medication, adolescents	13/5 M
Posaconazole	24/9 M	Serotonin syndrome	12/3 M
Pravastatin	8/9 M, 9/9 L	Sertraline	2/10 M
Precision Medicine	23/2 M	Sertraline/erythromycin	5/9 L
Pregnancy, drugs in	3/11 L, 5/5 L, 6/1 L, 6/4 L, 6/12 F, 16/1 M	Serum sickness, cross-sensitivity	4/7 L
Preservatives	2/9 M, 4/3 L	Sevelamer	12/5 L
Prolonged QT, drug-induced	11/10 M, 18/10 M	Sildenafil	10/2 M, 12/4 L, 18/10 M, 19/6 M
Promethazine	9/8 L, 11/3 M, 12/5 M, 13/3 F, 16/3 M	Simvastatin	8/9 M
Propafenone, CVVH	5/10 L	Sinusitis, therapy review	6/7 L
Propofol	6/5 M, 22/5 M	Sirolimus	12/2 M
Propranolol	16/8 M, 20/4 M, 20/6 M	Skin reactions, drug-induced	1/9 L, 4/11 M
Propylene glycol	2/9 M	Smoking cessation	1/3 L
Protease inhibitors	7/3 L	Sodium bicarbonate	2/12 M, 16/7 M
Proton pump inhibitors	5/4 M	Sodium ferric gluconate	11/3 M
Psychiatric disease, therapy	2/6 L	Sodium phosphate, oral	12/5 M
Psychotropic use, predicting	1/12 L	Sofosbuvir	23/7 M
Pyrazinamide	8/8 L	Somatropin	11/3 M
Pyrethrins	1/8 M	Sotalol	7/3 L, 7/4 L
Q		Spinosad	18/6 M
Quetiapine	7/8 M	Spirolactone	1/10 M, 10/1 M
Quinapril	9/12 M	Splitting tablets	3/11 L, 4/3 L
Quinine	5/6 L	Status epilepticus	24/2 M
R		Stevens-Johnson syndrome	4/11 M
Raltegravir	18/1 M	Sublingual Allergan Extracts	
Rasburicase	12/9 L	Sucrose, oral	11/6 L
Recombinant Factor IX	20/6 M	Sufentanil	2/5 L, 8/1 M, 19/8 M
Remifentanyl	11/3 M, 11/12 L, 12/9 L, 19/5 M	Sugammadex	23/3 M
Renal drug interactions	4/7 L	Sulfamethoxazole-trimethoprim	4/4 M
Respiratory syncytial virus	3/10 M, 4/2 L, 4/9 M	Sumatriptan	9/12 M, 11/3 M, 21/6 M
RSV immune globulin	3/10 M, 4/9 M, 6/2 L	Supraventricular tachycardia	4/6 L
Retapamulin	13/9 M	Surfactants	2/3 L, 4/9 L, 10/3 L
Reye's syndrome	8/8 L, 13/2 M	Sweeteners	2/9 M
Ribavirin	3/10 M	T	
Rifampin	10/11 M, 12/11 L	Tacrolimus	4/2 L, 4/10 L, 7/3 L, 9/5 M, 24/12 M
Rilpivirine	21/11 M	Tacrolimus/enteral feedings	4/8 L
Risk Management (REMS)	17/2 M, 18/10 M	Tacrolimus, topical	8/5 M, 11/3 M, 12/5 M, 13/9 L
Risperidone	2/5 L, 7/8 M, 13/3 F, 13/5 L, 13/6 L, 14/1 M	Tadalafil	19/6 M

Tafenoquine	24/4 M	Vitamin D	15/5 M, 15/6 M
Taste, effect on adherence	3/11 L	Vitamin K	1/4 L, 7/10 M
Temozolomide	10/3 M	Vitamin supplements	3/4 M
Terbinafine	12/7 M	Voretigene neparvovec-rzyl	24/4 M
Terfenadine	1/5 L, 1/9 M		
Tetanus, diphtheria, acellular pertussis booster vaccine	11/7 M	W	
Theophylline dosing	1/4 L, 1/5 L, 1/9 L	Warfarin	1/1 M, 6/12 L
Therapeutic drug monitoring	1/7 M	Warfarin/fluconazole	2/5 L
Therapeutic equivalence	2/12 L	X-Z	
Thimerosal	7/3 M	Zafirlukast	5/12 M
Thrombocytopenia, drug- induced	16/11 M	Zidovudine	4/1 L, 9/12 M
Ticarcillin/clavulanic acid	1/9 L	Zidovudine, kinetics in infants	5/9 L
Tiotropium	21/11 M, 21/12 M, 23/7 M	Zidovudine, pregnancy	1/8 L
Tipepidine	20/8 M	Zinc, common cold	4/2 L
Tisagenlecleucel	24/4 M	Ziprasidone	7/8 M
Tobramycin	2/5 L, 14/9 L	Zolmitriptan	11/3 M
Tobramycin, lung transplant	4/6 L	Zolpidem	14/7 L
Tobramycin, kinetics	3/11 L, 10/6 L	Zonisamide	11/11 M
Tolterodine	11/3 M		
Topiramate	4/5 L, 5/12 M, 7/6 M, 7/11 L, 8/1 M, 9/12 M, 18/12 M, 19/7 M, 20/6 M		
Toxic epidermal necrolysis	4/11 M		
Tramadol	21/10 M		
Treprostinil	19/6 M		
Triamcinolone	2/1 M, 7/5 M		
Trihexyphenidyl	17/6 M		
Trimethoprim- sulfamethoxazole	4/4 M		
Type 2 diabetes treatment	11/7 L		
U			
Uridine triacetate	21/11 M		
Urodiol	3/11 L, 15/2 M		
Ustekinumab	24/4 M		
V			
Vaccines	1/3 M, 3/7 M, 7/3 M, 10/5 M, 21/7 M		
Vaccines, adolescents	9/8 M		
Vaccines, storage	1/6 M		
Valacyclovir	8/6 M		
Valganciclovir	15/10 M		
Valproic acid	1/12 L, 3/3 M, 5/7 L, 13/6 L, 24/2 M		
Vancomycin	1/2 M, 3/8 L, 3/9 L, 5/12 L, 12/5 L, 17/6 L, 20/10 M		
Vancomycin, neonatal kinetics	3/11 L, 7/9 L, 10/6 L		
Vancomycin resistance	1/2 M, 20/10 M		
Varicella vaccine	1/2 F		
Vasopressin	9/9 M		
Vecuronium	5/9 M		
Venlafaxine	11/3 M		
Vigabatrin	15/12 M		